C614.1
N87v
1962
c.2
L. U. N. C.

THE LIBRARY OF THE
UNIVERSITY OF
NORTH CAROLINA

THE COLLECTION OF
NORTH CAROLINIANA

C614.1
N87v
1962, Pt. 1
c.2

UNIVERSITY OF N.C. AT CHAPEL HILL
00017472325

This book may be kept out one month unless a recall notice is sent to you. It must be brought to the North Carolina Collection (in Wilson Library) for renewal.

Form No. A-369

Digitized by the Internet Archive
in 2009 with funding from
Ensuring Democracy through Digital Access (NC-LSTA)

http://www.archive.org/details/annualreportofpu196201nort

ANNUAL REPORT

OF

PUBLIC HEALTH STATISTICS SECTION

PART I

COMMUNICABLE DISEASE MORBIDITY STATISTICS

1962

NORTH CAROLINA STATE BOARD OF HEALTH

EPIDEMIOLOGY DIVISION

ANNUAL REPORT

OF

PUBLIC HEALTH STATISTICS SECTION

PART I

COMMUNICABLE DISEASE MORBIDITY STATISTICS

1962

NORTH CAROLINA STATE BOARD OF HEALTH

EPIDEMIOLOGY DIVISION

J.W.R. NORTON, M.D.

Secretary

and State Health Director

TABLE OF CONTENTS

Page

Introduction 1

TABLES

1. Estimated Population by Color: North Carolina and Each County, July 1, 1962..... 3

2. Estimated Population by Color and Sex: North Carolina, 1936-1962..... 4

3. Cases of Reportable Communicable Diseases by Disease and Year of Report: North Carolina, 1918-1962..... 5

4. Morbidity Rates Per 100,000 Population for Selected Reportable Communicable Diseases by Disease and Year of Report: North Carolina, 1947-1962..... 9

5. Cases of Reportable Communicable Diseases by Disease and County of Residence: North Carolina, 1962..... 10

6. Cases of Reportable Communicable Diseases by Disease and Month of Onset: North Carolina, 1962..... 24

7. Cases of Reportable Communicable Diseases by Disease and Age: North Carolina, 1962. 25

8. Cases of Reportable Communicable Diseases by Disease, Color, and Sex with Rates Per 100,000 Population: North Carolina, 1962..... 26

9. Cases of Gastro-enteritis by County of Residence, Type, and Color: North Carolina, 1962..... 28

10. Cases of Previously Untreated Gonorrhea by County of Report, Type, Color, and Sex: North Carolina, 1962..... 31

11. Cases of Infectious Jaundice by County of Residence, Type, and Color: North Carolina, 1962..... 34

12. Cases of Poliomyelitis by County of Residence, Color, Paralytic Status, and Month of Onset: North Carolina, 1962..... 36

13. Cases of Previously Untreated Syphilis by County of Report, Stage, Color, and Sex: North Carolina, 1962..... 37

14. Cases of Previously Untreated Syphilis by Stage, Color, and Sex with Rates Per 100,000 Population: North Carolina, 1940, 1950, 1962..... 41

15. Cases of Previously Untreated Congenital Syphilis by Year of Birth, Year of Report, and Color: North Carolina, 1955-1962..... 42

16. Cases of Tuberculosis, All Forms, by County of Residence, Type, Stage, Activity, and Color: North Carolina, 1962..... 44

INTRODUCTION

Communicable disease morbidity statistics for North Carolina, 1962 are herein presented as Part I of the Annual Report of the Public Health Statistics Section. Natality and mortality data will be published as Part II later in the year.

A discussion summary appears on this and the following page. Population data and general summary tables showing the reported incidence of reportable communicable diseases in 1962 by county, age, month of onset, sex, and color comprise the body of this report. More detailed summaries are given for certain selected diseases.

SOURCE OF DATA

These data were derived from report cards received from military bases, local physicians, health departments, and hospitals in North Carolina, and through interstate reciprocal notification of disease. All death certificates which list a reportable communicable disease as a cause of death are checked against the case report files. Case reports are then obtained for all previously unreported cases. Certain more detailed information than that published in this report is available upon request.

REPORT PERIOD

The data included in this report represent cases of communicable disease with onset in 1962 with the exceptions of amebiasis, leprosy, tuberculosis, and the venereal diseases which are by date of report. Reports of all cases having their onset in 1962 and received during the period January 1, 1962 to January 31, 1963 and those with unknown date of onset recieved in 1962 are included. For those diseases tabulated by date of report, all 1962 receipts are included, regardless of onset date.

RESIDENCE

The cases included in this report, with the exception of the venereal diseases, are for residents of North Carolina and are allocated to county of residence of the patient. Venereal disease cases are allocated to county of report unless reported by a hospital or institution, in which case assignments are made to county of residence.

RATES

All rates shown are per 100,000 population. Morbidity rates for the past 16 years for selected reportable communicable diseases are presented in table 4 to show trends.

POPULATION

North Carolina population by county and color, 1962 and by color and sex, 1936-1962 are given in tables 1 and 2 respectively.

Population data used in this report for 1936-1962, other than the three census years (1940, 1950, 1960) were estimated by the U. S. Census Bureau 1936-1949, and by the Public Health Statistics Section 1951-1962. The arithmetic method, which assumes the same average annual numerical increase or decrease for the succeeding decade as occurred between two known census years, was used in estimating the total population since 1950.

DISCUSSION

In 1962, continued progress was noted in the field of communicable disease control. However, the presence of a statewide influenza B epidemic and the continued high rates of infectious hepatitis during this year served once again to emphasize the fact that there are still many perplexing unsolved problems in the field of communicable disease control. Communicable disease control will continue to be an essential activity of preventive medicine for a long time to come.

Amebiasis - 11 reported cases, 3 less than last year.

Eleven cases of diphtheria were reported and confirmed. Eight of the eleven cases were in the nonwhite population. Twelve cases of diphtheria were reported in 1961.

Forty-two cases of infectious encephalitis were recorded during 1962. This represents an increase of 15 cases when compared with 1961. This increase may be attributed to 19 sudden deaths in infants and children from encephalitis of unknown etiology between January 1 and May 1, 1962. Again, encephalitis of unknown etiology represented the largest percentage of reported cases of infectious encephalitis. This is another communicable disease field where much needs to be learned.

Four hundred forty-four cases of gastro-enteritis, including salmonellosis, shigellosis, staphylococcus, and other unknown, were reported. Of course, this is only a small percentage of the total amount of foodborne illness in the state during a given year. An increased number of food poisoning outbreaks was noted this year, particularly in schools. In most of these instances, food was no longer available when the outbreak was recognized so definite source and etiology could not be proven in most instances. Plans were formulated to set up a system whereby school cafeterias would save a sample meal for one day following serving in case a foodborne outbreak should result from a particular meal.

As in 1961, infectious hepatitis continued to be a major communicable disease problem. In 1962, 1,765 cases of infectious hepatitis were reported, compared to 2,187 cases in 1961. The increase in the number of serum hepatitis to 18 cases represents the result of more intensive hepatitis case-finding through the adult hepatitis surveillance program.

One case of leprosy was recorded. Despite intensive investigation of this case, no reasonable source of the leprosy could be found.

All cases of malaria were in servicemen who contracted the disease in the Orient.

Only 15 cases of poliomyelitis, 13 of which were said to be paralytic, were recorded this year. This represents a new low in the total number of cases of poliomyelitis reported since there were 19 cases reported last year. However, the 13 cases with paralytic poliomyelitis represent an increase of 4 cases over 1961. As in 1961, there were no epidemic concentrations of this disease. Plans for a statewide Sabin oral poliomyelitis vaccine campaign were postponed following the announcement of the Surgeon General's Advisory Committee on Poliomyelitis of the association of a small number of cases of paralytic poliomyelitis and the administration of Sabin vaccine. For the present, administration of basic immunization and boosters using the Salk vaccine will be stressed in North Carolina.

Thirty-five cases of Rocky Mountain spotted fever were recorded in 1962. As expected, the peak of occurrence was again May-September and again there was no concentration of cases by age or sex; however, 12 of the 35 cases were reported from the Mecklenburg-Cabarrus County area. The reason for this geographic concentration is not readily apparent.

The number of Group A streptococcus infections reported was not indicative of the total yearly incidence of this disease. It represents only a small percentage.

Eleven cases of tetanus were recorded in 1962 as compared with 12 cases in 1961. Six of the 11 patients died. The number of cases of this dread disease remained stable despite the success of a statewide tetanus immunization program.

A total of 1,423 cases of tuberculosis in 1962 is compared with 1,431 in 1961.

Two cases of trichinosis were both found to be due to the tasting of raw pork during the preparation of sausage.

Only 5 cases of tularemia, compared to 10 reported in 1961, were noted. Again, most of these originated by handling and/or skinning of wild animals. Thirteen cases of typhoid fever were recorded compared to 23 cases in 1961. One small family outbreak of bacteriologically proven typhoid fever occurred in Robeson County. The source was an elderly male in the household (previously unknown carrier).

Measles exhibited once again its cyclic behavior, this being a year of low incidence.

Two reported cases of endemic typhus could not be confirmed bacteriologically. Although no cases of undulant fever (brucellosis) were reported, this probably does not represent a considerable decrease in brucellosis incidence over previous years. This disease is difficult to diagnose and known to be prevalent in the hog population of eastern North Carolina. Many cases are occupationally related.

One hundred fifty-two cases of pertussis were recorded in 1962. This represents an increase over 118 cases reported in 1961.

Total cases of the venereal diseases reported were 12,772 compared to 12,536 in 1961. The only important changes noted occurred in syphilis. The number of cases reported increased from 3,410 (1961) to 4,109 (1962). Primary and Secondary syphilis increased 38.78% from 606 (1961) to 841 (1962) following the pattern that began in October, 1959. Renewed and intensive effort in the control of infectious syphilis is necessary.

Symbols Used in Tables

-	Number or rate is zero
/	Disease was not reportable
N.A.	Data was not available
0.0.	Rate is more than 0 but less than 0.05

TABLE 1. -- ESTIMATED POPULATION BY COLOR: NORTH CAROLINA AND EACH COUNTY, JULY 1, 1962

Area	POPULATION			Area	POPULATION		
	Total	White	Nonwhite		Total	White	Nonwhite
NORTH CAROLINA.....	4,667,357	3,492,923	1,174,434				
Alamance.....	88,925	73,750	15,175	Johnston.....	62,268	48,182	14,086
Alexander.....	15,866	14,792	1,074	Jones.....	11,005	5,791	5,214
Alleghany.....	7,639	7,415	224	Lee.....	27,245	21,392	5,853
Anson.....	24,552	12,813	11,739	Lenoir.....	57,373	35,040	22,333
Ashe.....	19,293	19,112	181	Lincoln.....	29,120	25,583	3,537
Avery.....	11,707	11,564	143	McDowell.....	26,972	25,612	1,360
Beaufort.....	35,762	22,603	13,159	Macon.....	14,656	14,371	285
Bertie.....	23,880	9,733	14,147	Madison.....	16,472	16,365	107
Bladen.....	28,696	16,474	12,222	Martin.....	26,959	13,516	13,443
Brunswick.....	20,512	13,306	7,206	Mecklenburg.....	289,001	218,235	70,766
Buncombe.....	131,350	117,485	13,865	Mitchell.....	13,627	13,586	41
Burke.....	54,317	50,510	3,807	Montgomery.....	18,667	13,937	4,730
Cabarrus.....	69,116	58,048	11,068	Moore.....	37,543	27,621	9,922
Caldwell.....	50,947	47,320	3,627	Nash.....	61,245	37,224	24,021
Camden.....	5,684	3,249	2,435	New Hanover.....	73,648	53,614	20,034
Carteret.....	32,713	28,673	4,040	Northampton.....	26,446	9,606	16,840
Caswell.....	19,696	10,223	9,473	Onslow.....	91,855	79,856	11,999
Catawba.....	75,756	68,669	7,087	Orange.....	44,892	34,338	10,554
Chatham.....	27,098	18,623	8,475	Pamlico.....	9,818	6,171	3,647
Cherokee.....	15,894	15,494	400	Pasquotank.....	25,918	15,602	10,316
Chowan.....	11,547	6,083	5,464	Pender.....	18,528	9,620	8,908
Clay.....	5,418	5,372	46	Perquimans.....	9,083	4,843	4,240
Cleveland.....	66,428	51,467	14,961	Person.....	26,851	17,221	9,630
Columbus.....	48,602	31,500	17,102	Pitt.....	71,326	40,625	30,701
Craven.....	61,012	43,737	17,275	Polk.....	11,343	9,939	1,404
Cumberland.....	160,210	117,862	42,348	Randolph.....	63,902	58,589	5,313
Currituck.....	6,691	4,582	2,109	Richmond.....	39,112	27,343	11,769
Dare.....	6,054	5,641	413	Robeson.....	89,401	36,340	53,061
Davidson.....	83,374	74,221	9,153	Rockingham.....	70,711	55,666	15,045
Davie.....	17,023	14,970	2,053	Rowan.....	84,484	70,287	14,197
Duplin.....	40,090	24,955	15,135	Rutherford	44,805	39,470	5,335
Durham.....	114,326	77,799	36,527	Sampson.....	47,615	29,501	18,114
Edgecombe.....	54,809	26,378	28,431	Scotland.....	24,924	14,105	10,819
Forsyth.....	199,168	152,427	46,741	Stanly.....	41,715	37,159	4,556
Franklin.....	28,172	15,757	12,415	Stokes.....	22,492	20,148	2,344
Gaston.....	130,728	113,708	17,020	Surry.....	48,792	45,940	2,852
Gates.....	9,186	4,164	5,022	Swain.....	8,043	6,349	1,694
Graham.....	6,331	6,064	267	Transylvania.....	16,638	15,744	894
Granville.....	33,407	18,713	14,694	Tyrrell.....	4,401	2,449	1,952
Greene.....	16,453	8,021	8,432	Union.....	45,264	35,664	9,600
Guilford.....	259,000	204,264	54,736	Vance.....	31,979	18,083	13,896
Halifax.....	59,087	26,749	32,338	Wake.....	176,424	131,379	45,045
Harnett.....	48,378	34,747	13,631	Warren.....	18,777	6,723	12,054
Haywood.....	40,179	39,272	907	Washington.....	13,558	7,400	6,158
Henderson.....	37,342	35,396	1,946	Watauga.....	17,347	17,112	235
Hertford.....	23,004	9,482	13,522	Wayne.....	86,062	55,140	30,922
Hoke.....	16,491	7,131	9,360	Wilkes.....	45,276	42,567	2,709
Hyde.....	5,605	3,236	2,369	Wilson.....	58,438	34,957	23,481
Iredell.....	63,926	52,537	11,389	Yadkin.....	22,955	21,818	1,137
Jackson.....	17,447	15,644	1,803	Yancey.....	13,490	13,365	125

TABLE 2. -- ESTIMATED POPULATION BY COLOR AND SEX: NORTH CAROLINA, 1936-1962*

Year	ALL CLASSES			WHITE			NONWHITE		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
1936.....	3,400,525	1,690,503	1,710,022	2,427,312	1,215,163	1,212,149	973,213	475,340	497,873
1937.....	3,432,099	1,705,708	1,726,391	2,453,834	1,227,533	1,226,301	978,265	478,175	500,090
1938.....	3,475,530	1,727,452	1,748,078	2,490,752	1,245,657	1,245,095	984,778	481,795	502,983
1939.....	3,531,938	1,755,416	1,776,522	2,536,869	1,268,107	1,268,762	995,069	487,309	507,760
1940.....	3,571,623	1,772,990	1,798,633	2,567,635	1,281,762	1,285,873	1,003,988	491,228	512,760
1941.....	3,670,017	1,820,328	1,849,689	2,635,072	1,313,866	1,321,206	1,034,945	506,462	528,483
1942.....	3,665,373	1,803,364	1,862,009	2,631,738	1,301,208	1,330,530	1,033,635	502,156	531,479
1943.....	3,683,037	1,789,956	1,893,081	2,637,054	1,281,697	1,355,357	1,045,983	508,259	537,724
1944.....	3,594,865	1,703,966	1,890,899	2,573,923	1,211,469	1,362,454	1,020,942	492,497	528,445
1945.....	3,514,297	1,637,662	1,876,635	2,512,722	1,156,203	1,356,519	1,001,575	481,459	520,116
1946.....	3,640,645	1,780,275	1,860,370	2,606,702	1,277,866	1,328,836	1,033,943	502,409	531,534
1947.....	3,718,000	1,825,538	1,892,462	2,662,088	1,312,454	1,349,634	1,055,912	513,084	542,828
1948.....	3,798,000	1,864,818	1,933,182	2,719,368	1,340,694	1,378,674	1,078,632	524,124	554,508
1949.....	3,864,000	1,897,224	1,966,776	2,766,624	1,363,946	1,402,678	1,097,376	533,278	564,098
1950.....	4,061,929	2,017,105	2,044,824	2,983,121	1,489,840	1,493,281	1,078,808	527,265	551,543
1951.....	4,123,218	2,047,620	2,075,598	3,035,057	1,515,850	1,519,207	1,088,161	531,770	556,391
1952.....	4,172,249	2,072,032	2,100,217	3,076,606	1,536,658	1,539,948	1,095,643	535,374	560,269
1953.....	4,221,280	2,096,444	2,124,836	3,118,155	1,557,466	1,560,689	1,103,125	538,978	564,147
1954.....	4,270,311	2,120,856	2,149,455	3,159,704	1,578,274	1,581,430	1,110,607	542,582	568,025
1955.....	4,319,342	2,145,268	2,174,074	3,201,253	1,599,082	1,602,171	1,118,089	546,186	571,903
1956.....	4,368,373	2,169,680	2,198,693	3,242,802	1,619,890	1,622,912	1,125,571	549,790	575,781
1957.....	4,417,404	2,194,092	2,223,312	3,284,351	1,640,698	1,643,653	1,133,053	553,394	579,659
1958.....	4,466,435	2,218,504	2,247,931	3,325,900	1,661,506	1,664,394	1,140,535	556,998	583,537
1959.....	4,515,466	2,242,916	2,272,550	3,367,449	1,682,314	1,685,135	1,148,017	560,602	587,415
1960.....	4,556,155	2,247,069	2,309,086	3,399,285	1,684,797	1,714,488	1,156,870	562,272	594,598
1961.....	4,617,934	2,275,815	2,342,119	3,451,306	1,709,167	1,742,139	1,166,628	566,648	599,980
1962.....	4,667,357	2,298,812	2,368,545	3,492,923	1,728,663	1,764,260	1,174,434	570,149	604,285

*1940, 1950 and 1960 enumeration as of April 1; estimates as of July 1

Source -- 1936-1950, 1960 -- Bureau of the Census.
1951-1959, 1961, 1962 -- Public Health Statistics Section

TABLE 3. -- CASES OF REPORTABLE COMMUNICABLE DISEASES BY DISEASE AND YEAR OF REPORT*: NORTH CAROLINA, 1918-1962

Disease	1918	1919	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929
Amebiasis	†	†	†	†	†	†	†	†	†	†	†	†
Anthrax	-	-	-	-	-	-	-	-	-	-	-	-
Botulism	†	†	†	†	†	†	†	†	†	†	†	†
Cholera	-	-	-	-	-	-	-	-	-	-	-	-
Dengue	†	†	†	†	†	†	†	†	†	†	†	†
Diphtheria	1,366	3,519	3,422	5,136	8,136	4,671	4,095	3,437	3,198	3,034	3,826	4,337
Encephalitis	†	†	†	†	†	†	†	†	†	†	†	†
Gastro-enteritis	†	†	†	†	†	†	†	†	†	†	†	†
Glanders	†	†	†	†	†	†	†	†	†	†	†	†
Infectious jaundice**	†	†	†	†	†	†	†	†	†	†	†	†
Leprosy	†	†	†	†	†	†	†	†	†	†	†	†
Leptospirosis	†	†	†	†	†	†	†	†	†	†	†	†
Malaria	†	†	†	†	†	†	†	†	†	†	†	†
Measles	9,158	5,725	3,621	11,539	2,042	52,066	34,938	1,002	7,952	32,882	60,543	1,209
Meningococcal infections	151	105	96	70	54	46	30	26	24	26	21	88
Paratyphoid fever	1	26	2	-	-	-	-	-	-	-	-	13
Plague	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis	23	42	25	36	30	16	16	79	112	24	51	133
Psittacosis	-	-	-	-	-	-	-	-	-	-	-	-
Q-Fever	†	†	†	†	†	†	†	†	†	†	†	†
Rabies	-	-	-	-	-	-	-	-	-	-	-	2
Rocky Mountain spotted fever	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	864	1,512	1,663	2,585	3,153	2,418	2,255	1,856	2,281	2,638	2,828	3,057
Septic sore throat	127	371	218	199	281	150	143	104	92	127	104	141
Smallpox	983	2,322	2,961	2,513	1,409	3,352	3,845	1,920	1,594	1,702	2,419	589
Tetanus	†	†	†	†	†	†	†	†	†	†	†	†
Trachoma	20	16	15	5	12	18	5	32	3	2	3	2
Trichinosis	†	†	†	†	†	†	†	†	†	†	†	†
Tuberculosis, all forms	3,514	2,306	3,295	2,523	1,356	1,851	2,381	2,355	1,921	2,271	2,578	2,858
Tularemia	-	-	-	-	-	-	-	-	-	-	-	4
Typhoid fever	3,461	2,956	1,856	2,099	1,960	1,577	1,318	1,192	1,502	1,280	1,073	861
Typhus fever, murine	-	-	2	-	-	-	-	-	-	-	-	3
Typhus fever, European	-	-	-	-	-	-	-	-	-	-	-	-
Undulant fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	11,645	5,669	8,465	9,518	6,905	16,075	12,945	4,296	11,099	19,996	5,002	12,434
Yellow fever	-	-	-	-	-	-	-	-	-	-	-	-
Venereal diseases	12	7,406	8,037	6,334	8,992	6,792	5,883	5,603	5,348	5,391	4,480	6,659
Gonorrhea	12	4,893	5,361	3,475	4,061	3,023	2,561	2,272	2,113	2,016	1,528	2,130
Ophthalmia neonatorum	12	33	27	19	16	15	5	8	6	5	6	12
Syphilis	†	2,084	2,213	2,637	4,671	3,559	3,153	3,161	3,044	3,224	2,846	4,457
Other venereal diseases	†	429	463	222	260	210	169	170	191	151	106	72
Chancroid	†	429	463	222	260	210	169	170	191	151	106	72
Granuloma inguinale	†	†	†	†	†	†	†	†	†	†	†	†
Lymphogranuloma venereum	†	†	†	†	†	†	†	†	†	†	†	†

*1918-1947 by year of report; 1948-1962 by year of onset, except amebiasis, leprosy, tuberculosis and the venereal diseases which are by year of report.

**Excludes leptospirosis, includes infectious hepatitis and serum hepatitis.

TABLE 3. -- COMMUNICABLE DISEASES -- Continued

Disease	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939
Amebiasis	†	†	†	†	†	†	†	†	†	†
Anthrax	-	1	-	-	2	-	-	-	-	-
Botulism	†	†	†	†	†	†	†	†	†	†
Cholera	-	-	-	-	-	-	-	-	-	-
Dengue	†	†	†	†	†	1	1	-	-	-
Diphtheria	3,248	3,156	1,895	2,497	2,114	1,720	2,347	2,056	2,442	2,368
Encephalitis	†	†	†	†	†	†	†	†	†	†
Gastro-enteritis	†	†	†	†	†	†	†	†	†	†
Glanders	†	†	†	†	†	†	†	†	†	†
Infectious jaundice**	†	†	†	†	†	†	†	†	†	†
Leprosy	†	†	†	†	†	†	†	†	†	†
Leptospirosis	†	†	†	†	†	†	†	†	†	†
Malaria	†	†	†	†	†	†	†	876	636	629
Measles	1,376	15,499	13,672	16,197	55,764	10,683	1,395	7,937	49,614	20,031
Meningococcal infections	153	123	71	66	50	109	196	169	93	59
Paratyphoid fever	21	27	16	12	15	26	20	16	18	16
Plague	-	-	-	-	-	-	-	-	-	-
Poliomyelitis	96	104	54	30	45	675	52	106	50	116
Psittacosis	-	-	-	-	-	-	-	-	-	-
Q-Fever	†	†	†	†	†	†	†	†	†	†
Rabies	2	-	-	1	-	4	3	2	-	1
Rocky Mountain spotted fever	-	-	1	27	34	21	32	27	42	41
Scarlet fever	3,096	3,461	2,868	3,662	2,852	2,072	1,921	2,073	2,228	2,599
Septic sore throat	114	153	142	123	104	116	115	125	148	116
Smallpox	556	63	72	35	18	24	19	11	35	15
Tetanus	†	†	†	†	†	†	†	†	†	†
Trachoma	-	6	-	5	1	6	1	-	-	-
Trichinosis	†	†	†	†	†	†	†	†	†	†
Tuberculosis, all forms	3,201	2,638	2,488	2,524	2,047	1,996	3,008	2,632	2,607	2,366
Tularemia	7	3	10	28	14	15	10	13	26	26
Typhoid fever	1,000	991	823	684	464	645	518	493	485	343
Typhus fever, murine	16	14	24	46	23	51	33	68	81	122
Typhus fever, European	-	-	-	-	-	-	-	-	-	-
Undulant fever	-	-	4	15	19	31	23	26	29	25
Whooping cough	10,093	6,992	12,137	7,155	14,299	10,075	1,566	7,782	14,908	9,321
Yellow fever	-	-	-	-	-	-	-	-	-	-
Venereal diseases	7,670	7,536	6,583	6,781	7,417	7,088	8,355	15,341	23,861	35,121
Gonorrhea	2,450	2,298	2,130	2,176	2,164	1,826	2,159	2,894	3,045	3,815
Ophthalmia neonatorum	14	12	18	9	14	19	22	17	16	15
Syphilis	5,106	5,144	4,365	4,570	5,201	5,189	6,086	12,299	20,714	30,985
Other venereal diseases	114	94	88	35	52	73	110	148	102	321
Chancroid	114	94	88	35	52	73	110	148	102	321
Granuloma inguinale	†	†	†	†	†	†	†	†	†	†
Lymphogranuloma venereum	†	†	†	†	†	†	†	†	†	†

*1918-1947 by year of report; 1948-1962 by year of onset, except amebiasis, leprosy, tuberculosis and the venereal diseases which are by year of report.

**Excludes leptospirosis, includes infectious hepatitis and serum hepatitis.

TABLE 3. -- COMMUNICABLE DISEASES -- Continued

Disease	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950
Amebiasis	†	†	†	†	†	21	19	18	29	91	132
Anthrax	-	1	-	-	-	-	-	-	-	-	-
Botulism	†	†	†	†	†	†	†	†	†	†	†
Cholera	-	-	-	-	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	1	-	-	-	-
Diphtheria	1,125	1,629	1,187	801	665	1,475	590	751	485	550	499
Encephalitis	†	†	†	†	†	5	3	5	6	4	9
Gastro-enteritis	†	†	†	†	†	†	†	†	†	†	†
Glanders	†	†	†	†	†	-	-	-	-	-	-
Infectious jaundice**	†	†	†	†	†	†	†	†	†	†	†
Leprosy	†	†	†	†	†	1	-	-	-	-	-
Leptospirosis	†	†	†	†	†	†	†	†	†	†	†
Malaria	629	237	248	183	154	554	369	137	147	53	36
Measles	3,685	27,764	21,581	5,217	27,655	1,194	9,011	4,978	1,353	17,330	4,964
Meningococcal infections	34	46	49	478	308	179	120	95	73	87	116
Paratyphoid fever	3	11	7	6	7	5	6	7	13	8	7
Plague	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis	74	168	82	36	861	159	157	300	2,516	229	756
Psittacosis	-	-	-	-	-	-	1	-	-	-	-
Q-Fever	†	†	†	†	†	†	†	†	†	†	†
Rabies	1	-	2	-	1	1	-	2	-	-	-
Rocky Mountain spotted fever	32	20	35	36	59	57	66	88	73	79	70
Scarlet fever	2,442	2,165	2,570	2,854	2,239	3,248	1,530	1,167	1,094	1,793	1,885
Septic sore throat	88	139	109	201	47	101	51	44	27	45	41
Smallpox	6	4	7	21	4	1	2	2	3	-	-
Tetanus	†	†	†	†	†	†	†	†	†	†	†
Trachoma	8	4	-	1	-	1	-	-	-	-	-
Trichinosis	†	†	†	†	†	†	†	†	†	†	†
Tuberculosis, all forms	2,084	2,425	1,902	1,633	1,804	3,392	3,466	3,591	3,274	3,402	3,653
Tularemia	12	22	13	14	10	27	45	74	46	38	25
Typhoid fever	238	197	181	111	122	82	54	47	56	53	58
Typhus fever, murine	65	78	100	157	236	159	82	51	43	26	12
Typhus fever, European	-	-	-	-	-	-	-	-	-	-	-
Undulant fever	11	12	9	7	14	15	9	21	16	25	21
Whooping cough	5,500	10,932	5,557	8,408	6,355	5,834	3,391	2,983	1,932	1,398	3,352
Yellow fever	-	-	-	-	-	-	-	-	-	-	-
Venereal diseases	26,213	23,617	26,985	25,658	21,147	22,040	26,082	23,643	22,930	23,399	20,514
Gonorrhea	4,616	5,834	9,637	10,870	10,892	13,162	16,082	14,169	14,962	16,173	14,930
Ophthalmia neonatorum	22	29	17	11	N.A.	N.A.	6	7	3	11	8
Syphilis	21,333	17,560	16,713	14,125	9,804	8,125	9,233	8,724	7,313	6,699	5,146
Other venereal diseases	264	223	635	663	451	753	767	750	655	527	438
Chancroid	264	223	635	663	451	447	513	531	381	332	265
Granuloma inguinale	†	†	†	†	†	75	101	99	98	66	82
Lymphogranuloma venereum	†	†	†	†	†	231	153	120	176	129	91

*1918-1947 by year of report; 1948-1962 by year of onset, except amebiasis, leprosy, tuberculosis and the venereal diseases which are by year of report.

**Excludes leptospirosis, includes infectious hepatitis and serum hepatitis.

TABLE 3. -- COMMUNICABLE DISEASES -- Continued

Disease	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
Amebiasis	96	44	31	17	14	18	21	18	22	13	14	11
Anthrax	-	-	1	-	1	7	-	-	-	-	1	-
Botulism	†	-	1	-	-	-	-	1	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	373	202	130	126	85	70	49	32	20	22	12	11
Encephalitis	9	4	15	47	16	34	55	53	36	36	27	42
Gastro-enteritis	†	219	485	396	441	277	327	427	725	520	625	444
Glanders	-	-	-	-	-	-	-	-	-	-	-	-
Infectious jaundice**	†	675	1,142	807	313	128	110	75	118	582	2,194	1,783
Leprosy	-	1	1	1	1	-	-	-	1	1	-	1
Leptospirosis	†	-	1	10	1	-	-	-	-	1	1	1
Malaria	82	305	48	23	18	4	4	6	2	7	5	34
Measles	3,315	4,511	4,984	9,566	1,385	7,630	1,960	4,530	3,391	1,417	5,094	940
Meningococcal infections	151	197	189	179	144	96	112	90	77	83	68	72
Paratyphoid fever	5	4	14	16	14	6	7	5	4	5	2	4
Plague	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis	314	538	926	732	463	315	233	74	313	85	19	15
Psittacosis	-	-	-	11	9	75	4	2	-	-	-	3
Q-Fever	†	-	-	-	-	-	-	-	1	-	-	-
Rabies	1	-	-	1	1	-	-	-	-	-	-	-
Rocky Mountain spotted fever	61	38	40	28	43	35	37	25	24	18	34	35
Scarlet fever	2,236	2,222	1,335	2,601	2,104	1,206	1,034	1,351	1,325	1,038	930	804
Septic sore throat	29	33	81	86	60	35	47	55	53	60	397	570
Smallpox	-	-	1	-	-	-	-	-	-	-	-	-
Tetanus	†	26	18	23	18	13	15	9	1	8	12	11
Trachoma	-	-	2	-	-	-	-	-	-	-	-	-
Trichinosis	†	1	2	-	2	9	3	-	-	-	1	2
Tuberculosis, all forms	3,105	2,326	2,001	2,013	1,950	1,850	1,651	1,635	1,446	1,440	1,431	1,423
Tularemia	17	19	15	18	9	16	12	12	7	4	10	5
Typhoid fever	44	41	47	54	37	23	23	17	18	19	23	13
Typhus fever, murine	19	12	8	9	5	2	5	2	4	1	3	2
Typhus fever, European	-	-	-	-	-	-	-	-	-	-	-	-
Undulant fever	28	21	5	3	2	10	12	7	4	4	8	-
Whooping cough	1,961	471	252	787	1,366	539	161	401	577	111	118	152
Yellow fever	-	-	-	-	-	-	-	-	-	-	-	-
Venereal diseases	20,251	19,960	19,992	18,608	16,499	17,051	19,439	16,586	15,239	13,038	12,536	12,772
Gonorrhea	15,779	15,895	15,958	14,947	12,731	12,728	14,055	12,125	10,816	10,006	9,029	8,583
Ophthalmia neonatorum	9	14	7	14	11	17	10	16	18	13	13	5
Syphilis	4,080	3,709	3,682	3,353	3,512	4,107	5,219	4,298	4,273	2,912	3,410	4,109
Other venereal diseases	392	356	352	308	256	216	165	163	150	120	97	80
Chancroid	253	256	273	233	186	171	125	109	127	106	69	66
Granuloma inguinale	58	38	45	33	40	28	30	33	11	4	13	7
Lymphogranuloma venereum	81	62	34	42	30	17	10	21	12	10	15	7

*1918-1947 by year of report; 1948-1962 by year of onset, except amebiasis, leprosy, tuberculosis and the venereal diseases which are by year of report.

**Excludes leptospirosis, includes infectious hepatitis and serum hepatitis.

TABLE 4. -- MORBIDITY RATES PER 100,000 POPULATION FOR SELECTED REPORTABLE COMMUNICABLE DISEASES BY DISEASE AND YEAR OF REPORT*: NORTH CAROLINA, 1947-1962

Disease	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962
Amebiasis	0.5	0.8	2.4	3.2	2.3	1.1	0.7	0.4	0.3	0.4	0.5	0.4	0.5	0.3	0.3	0.2
Diphtheria	20.2	13.3	14.2	12.3	9.0	4.8	3.1	3.0	2.0	1.6	1.1	0.7	0.4	0.5	0.3	0.2
Gastro-enteritis	†	†	†	†	†	5.2	11.5	9.3	10.2	6.3	7.4	9.6	16.1	11.4	13.5	9.5
Infectious jaundice**	†	†	†	†	†	16.2	27.1	18.9	7.2	2.9	2.5	1.7	2.6	12.8	47.5	38.2
Malaria	3.7	3.9	1.4	0.9	2.0	7.3	1.1	0.5	0.4	0.1	0.1	0.1	0.0	0.2	0.1	0.7
Measles	133.9	30.9	448.5	122.2	80.4	108.1	118.1	224.0	32.1	174.7	44.4	102.8	75.1	31.1	110.3	20.1
Meningococcal infections	2.6	2.0	2.3	2.9	3.7	4.7	4.5	4.2	3.3	2.2	2.5	2.0	1.7	1.8	1.5	1.5
Poliomyelitis	8.1	65.8	5.9	18.6	7.6	12.9	21.9	17.1	10.7	7.2	5.3	1.7	6.9	1.9	0.4	0.3
Scarlet fever	31.4	28.9	46.4	46.4	54.2	53.3	31.6	60.9	48.7	27.6	23.4	30.2	29.3	22.8	20.1	17.2
Tuberculosis, all forms	96.6	86.2	88.0	89.9	75.3	55.7	47.4	47.1	45.1	42.3	37.4	36.6	32.0	31.6	31.0	30.5
Tularemia	2.0	1.1	1.0	0.6	0.4	0.5	0.4	0.4	0.2	0.4	0.3	0.3	0.2	0.1	0.2	0.1
Typhoid fever	1.3	1.6	1.4	1.4	1.1	1.0	1.1	1.3	0.9	0.5	0.5	0.4	0.4	0.4	0.5	0.3
Whooping cough	80.2	52.0	36.2	82.5	47.6	11.3	6.0	18.4	31.6	12.3	3.6	9.0	12.8	2.4	2.6	3.3
Venereal Diseases																
Gonorrhea***	381.1	393.9	418.6	367.6	382.7	381.0	378.0	350.0	294.7	291.4	318.2	271.5	239.5	219.6	195.5	183.9
Syphilis	234.6	192.5	173.4	126.7	99.0	88.9	87.2	78.5	81.3	94.0	118.1	96.2	94.6	63.9	73.8	88.0
Other venereal diseases	20.2	17.2	13.6	10.8	9.5	8.5	8.3	7.2	5.9	4.9	3.7	3.6	3.3	2.6	2.1	1.7

*1947 by year of report; 1948-1962 by year of onset, except amebiasis, leprosy, tuberculosis and the venereal diseases, which are by year of report

**Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

***Gonorrhea includes ophthalmia neonatorum

TABLE 5. -- CASES OF REPORTABLE COMMUNICABLE DISEASES BY DISEASE AND COUNTY OF RESIDENCE*: NORTH CAROLINA, 1962

Disease	North Carolina	Alamance	Alexander	Alleghany	Anson	Ashe	Avery
Amebiasis	11	-	-	-	-	-	-
Anthrax	-	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-
Diphtheria	11	-	-	-	-	-	-
Encephalitis	42	-	-	-	-	-	-
Gastro-enteritis	444	6	-	-	1	1	-
Glanders	-	-	-	-	-	-	-
Infectious jaundice**	1,783	69	2	2	58	4	11
Leprosy	1	-	-	-	-	-	-
Leptospirosis	1	-	-	-	-	-	-
Malaria***	-	-	-	-	-	-	-
Measles	940	29	11	-	-	2	3
Meningococcal infections	72	-	-	-	1	2	-
Paratyphoid fever	4	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-
Poliomyelitis	15	-	-	-	-	4	-
Psittacosis	3	-	-	1	-	-	-
Q-Fever	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-
Rocky Mountain spotted fever	35	1	-	-	-	1	-
Scarlet fever	804	12	4	1	3	1	-
Septic sore throat	570	-	-	-	-	-	-
Smallpox	-	-	-	-	-	-	-
Tetanus	11	1	1	-	1	-	-
Trachoma	-	-	-	-	-	-	-
Trichinosis	2	-	-	-	-	-	-
Tuberculosis, all forms	1,423	20	5	3	7	3	2
Tularemia	5	-	-	-	-	-	-
Typhoid fever	13	-	-	-	-	-	-
Typhus fever, murine	2	-	-	-	-	-	-
Typhus fever, European	-	-	-	-	-	-	-
Undulant fever	-	-	-	-	-	-	-
Whooping cough	152	1	-	1	-	-	-
Yellow fever	-	-	-	-	-	-	-
Venereal diseases	12,772	233	10	1	64	8	9
Gonorrhea	8,583	170	5	1	48	-	6
Ophthalmia neonatorum	5	-	-	-	-	-	-
Syphilis	4,109	63	4	-	16	8	3
Other venereal diseases	80	-	1	-	-	-	-
Chancroid	66	-	1	-	-	-	-
Granuloma inguinale	7	-	-	-	-	-	-
Lymphogranuloma venereum	7	-	-	-	-	-	-

*Except venereal diseases which are by county of report

**Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

***Excludes 34 cases reported by armed forces

TABLE 5. -- COMMUNICABLE DISEASES -- Continued

Disease	Beaufort	Bertie	Bladen	Brunswick	Buncombe	Burke	Cabarrus
Amebiasis	-	-	-	-	-	-	-
Anthrax	-	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-
Encephalitis	-	-	4	-	-	-	-
Gastro-enteritis	3	2	1	-	9	1	9
Glanders	-	-	-	-	-	-	-
Infectious jaundice**	7	20	12	2	19	13	45
Leprosy	-	-	1	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-
Malaria***	-	-	-	-	-	-	-
Measles	1	-	3	2	7	1	4
Meningococcal infections	-	-	-	2	2	1	-
Paratyphoid fever	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-
Poliomyelitis	-	-	-	1	-	-	-
Psittacosis	-	-	-	-	-	-	-
Q-fever	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-
Rocky Mountain spotted fever	-	-	-	-	1	-	4
Scarlet fever	1	1	5	-	14	15	3
Septic sore throat	-	-	1	-	-	-	15
Smallpox	-	-	-	-	-	-	-
Tetanus	-	-	1	-	-	-	-
Trachoma	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	-	-	-
Tuberculosis, all forms	17	20	14	11	39	6	5
Tularemia	-	-	1	-	-	-	-
Typhoid fever	2	-	-	-	1	-	-
Typhus fever, murine	-	-	-	-	-	-	-
Typhus fever, European	-	-	-	-	-	-	-
Undulant fever	-	-	-	-	-	-	-
Whooping cough	-	-	-	-	-	3	-
Yellow fever	-	-	-	-	-	-	-
Venereal diseases	102	32	69	26	474	53	128
Gonorrhea	27	5	43	11	394	33	39
Ophthalmia neonatorum	-	-	-	-	-	-	-
Syphilis	75	27	25	15	79	20	88
Other venereal diseases	-	-	1	-	1	-	1
Chancroid	-	-	1	-	1	-	1
Granuloma inguinale	-	-	-	-	-	-	-
Lymphogranuloma venereum	-	-	-	-	-	-	-

*Except venereal diseases which are by county of report

**Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

***Excludes 34 cases reported by armed forces

TABLE 5. -- COMMUNICABLE DISEASES -- Continued

Disease	Caldwell	Camden	Carteret	Caswell	Catawba	Chatham	Cherokee
Amebiasis	-	-	-	-	-	-	-
Anthrax	-	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	1	-	-
Encephalitis	2	-	-	1	1	-	-
Gastro-enteritis	-	-	-	-	2	2	2
Glanders	-	-	-	-	-	-	-
Infectious jaundice**	35	2	1	2	17	-	13
Leprosy	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-
Malaria***	-	-	-	-	-	-	-
Measles	1	-	-	-	1	-	-
Meningococcal infections	-	-	-	-	1	-	-
Paratyphoid fever	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-
Poliomyelitis	1	-	-	-	-	1	-
Psittacosis	-	-	-	-	-	-	-
Q-fever	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-
Rocky Mountain spotted fever	2	-	-	1	-	-	-
Scarlet fever	14	-	-	1	7	1	3
Septic sore throat	-	-	-	-	-	-	-
Smallpox	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-
Trachoma	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	-	-	-
Tuberculosis, all forms	13	1	8	1	8	7	9
Tularemia	-	-	-	-	-	-	-
Typhoid fever	-	-	-	-	-	-	-
Typhus fever, murine	-	-	-	-	-	-	-
Typhus fever, European	-	-	-	-	-	-	-
Undulant fever	-	-	-	-	-	-	-
Whooping cough	1	-	-	1	-	-	-
Yellow fever	-	-	-	-	-	-	-
Venereal diseases	32	5	17	21	30	34	-
Gonorrhea	23	2	1	11	8	5	-
Ophthalmia neonatorum	-	-	-	-	-	-	-
Syphilis	9	3	16	10	22	29	-
Other venereal diseases	-	-	-	-	-	-	-
Chancroid	-	-	-	-	-	-	-
Granuloma inguinale	-	-	-	-	-	-	-
Lymphogranuloma venereum	-	-	-	-	-	-	-

*Except venereal diseases which are by county of report

**Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

***Excludes 34 cases reported by armed forces

TABLE 5. -- COMMUNICABLE DISEASES -- Continued

Disease	Chowan	Clay	Cleveland	Columbus	Craven	Cumberland	Currituck
Amebiasis	-	-	-	-	-	5	-
Anthrax	-	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	1	-	-
Encephalitis	-	-	-	-	1	1	-
Gastro-enteritis	1	-	4	3	2	4	1
Glanders	-	-	-	-	-	-	-
Infectious jaundice**	1	9	43	17	1	68	-
Leprosy	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	1	-
Malaria***	-	-	-	-	-	-	-
Measles	1	-	2	-	15	1	-
Meningococcal infections	-	-	1	-	-	2	-
Paratyphoid fever	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-
Poliomyelitis	-	-	-	-	-	2	-
Psittacosis	-	-	-	-	-	-	-
Q-Fever	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-
Rocky Mountain spotted fever	-	-	-	-	-	-	-
Scarlet fever	-	1	56	3	6	3	2
Septic sore throat	-	-	2	-	-	36	-
Smallpox	-	-	-	-	-	-	-
Tetanus	-	-	1	-	-	-	-
Trachoma	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	-	-	-
Tuberculosis, all forms	10	1	13	12	21	50	2
Tularemia	-	-	-	-	-	-	-
Typhoid fever	-	-	-	-	-	-	-
Typhus fever, murine	-	-	-	-	-	-	-
Typhus fever, European	-	-	-	-	-	-	-
Undulant fever	-	-	-	-	-	-	-
Whooping cough	-	-	10	-	2	1	-
Yellow fever	-	-	-	-	-	-	-
Venereal diseases	43	-	145	29	163	1,129	18
Gonorrhea	22	-	115	10	112	922	10
Ophthalmia neonatorum	-	-	-	-	-	-	-
Syphilis	21	-	29	19	50	204	8
Other venereal diseases	-	-	1	-	1	3	-
Chancroid	-	-	1	-	1	3	-
Granuloma inguinale	-	-	-	-	-	-	-
Lymphogranuloma venereum	-	-	-	-	-	-	-

*Except venereal diseases which are by county of report

**Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

***Excludes 34 cases reported by armed forces

TABLE 5. -- COMMUNICABLE DISEASES -- Continued

Disease	Dare	Davidson	Davie	Duplin	Durham	Edgecombe	Forsyth
Amebiasis	-	-	-	-	-	-	-
Anthrax	-	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	1	-	-
Encephalitis	-	1	1	1	-	1	1
Gastro-enteritis	-	-	-	1	21	1	19
Glanders	-	-	-	-	-	-	-
Infectious jaundice**	2	79	26	10	18	43	77
Leprosy	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-
Malaria***	-	-	-	-	-	-	-
Measles	-	22	1	-	60	12	14
Meningococcal infections	-	2	3	1	3	-	4
Paratyphoid fever	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-
Poliomyelitis	-	-	-	-	1	-	-
Psittacosis	-	-	-	-	-	-	-
Q-Fever	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-
Rocky Mountain spotted fever	-	-	-	-	-	-	-
Scarlet fever	-	37	-	2	32	-	17
Septic sore throat	-	-	-	-	1	3	-
Smallpox	-	-	-	-	-	-	-
Tetanus	-	-	-	-	1	-	-
Trachoma	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	-	-	-
Tuberculosis, all forms	1	11	4	11	40	34	40
Tularemia	-	-	-	-	-	-	-
Typhoid fever	-	-	-	-	-	-	-
Typhus fever, murine	-	-	-	-	-	-	-
Typhus fever, European	-	-	-	-	-	-	-
Undulant fever	-	-	-	-	-	-	-
Whooping cough	-	12	-	1	7	-	10
Yellow fever	-	-	-	-	-	-	-
Venereal diseases	6	83	13	35	1,674	88	978
Gonorrhea	4	46	3	9	1,516	40	688
Ophthalmia neonatorum	-	-	-	-	-	-	1
Syphilis	2	37	10	26	137	48	283
Other venereal diseases	-	-	-	-	21	-	7
Chancroid	-	-	-	-	20	-	7
Granuloma inguinale	-	-	-	-	-	-	-
Lymphogranuloma venereum	-	-	-	-	1	-	-

*Except venereal diseases which are by county of report

**Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

***Excludes 34 cases reported by armed forces

TABLE 5. -- COMMUNICABLE DISEASES -- Continued

Disease	Franklin	Gaston	Gates	Graham	Granville	Greene	Guilford
Amebiasis	-	-	-	-	-	-	-
Anthrax	-	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	1	-
Encephalitis	1	1	-	-	1	-	2
Gastro-enteritis	5	10	1	-	38	3	11
Glanders	-	-	-	-	-	-	-
Infectious jaundice**	6	54	6	8	20	8	113
Leprosy	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-
Malaria***	-	-	-	-	-	-	-
Measles	1	2	41	6	130	-	43
Meningococcal infections	-	-	-	-	-	-	2
Paratyphoid fever	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-
Poliomyelitis	-	-	-	-	-	-	1
Psittacosis	-	-	-	-	-	-	-
Q-Fever	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-
Rocky Mountain spotted fever	-	-	-	-	-	-	2
Scarlet fever	2	20	-	-	10	-	62
Septic sore throat	-	-	-	-	-	-	-
Smallpox	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-
Trachoma	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	-	-	-
Tuberculosis, all forms	12	31	5	1	9	9	37
Tularemia	1	-	-	-	-	-	1
Typhoid fever	-	-	-	-	-	-	2
Typhus fever, murine	-	-	-	-	-	-	-
Typhus fever, European	-	-	-	-	-	-	-
Undulant fever	-	-	-	-	-	-	-
Whooping cough	-	9	-	-	-	-	3
Yellow fever	-	-	-	-	-	-	-
Venereal diseases	48	267	10	12	82	12	595
Gonorrhea	16	147	5	11	30	8	331
Ophthalmia neonatorum	-	-	-	-	-	-	-
Syphilis	32	118	5	1	52	4	256
Other venereal diseases	-	2	-	-	-	-	8
Chancroid	-	-	-	-	-	-	8
Granuloma inguinale	-	-	-	-	-	-	-
Lymphogranuloma venereum	-	2	-	-	-	-	-

*Except venereal diseases which are by county of report

**Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

***Excludes 34 cases reported by armed forces

TABLE 5. -- COMMUNICABLE DISEASES -- Continued

Disease	Halifax	Harnett	Haywood	Henderson	Hertford	Hoke	Hyde
Amebiasis	-	-	-	-	-	-	-
Anthrax	-	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	3	-
Encephalitis	-	-	2	-	-	-	-
Gastro-enteritis	6	5	-	1	3	-	-
Glanders	-	-	-	-	-	-	-
Infectious jaundice**	3	60	4	3	5	9	-
Leprosy	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-
Malaria***	-	-	-	-	-	-	-
Measles	21	10	-	-	-	4	-
Meningococcal infections	-	1	-	-	-	-	-
Paratyphoid fever	-	-	-	2	-	-	-
Plague	-	-	-	-	-	-	-
Poliomyelitis	-	-	-	-	-	-	-
Psittacosis	-	-	-	-	-	-	-
Q-Fever	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-
Rocky Mountain spotted fever	1	-	-	-	-	-	-
Scarlet fever	-	5	60	31	2	4	-
Septic sore throat	-	-	-	1	-	-	-
Smallpox	-	-	-	-	-	-	-
Tetanus	1	-	-	-	-	-	-
Trachoma	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	-	-	-
Tuberculosis, all forms	33	15	6	10	13	16	3
Tularemia	-	-	-	-	-	-	-
Typhoid fever	-	-	-	-	-	-	-
Typhus fever, murine	-	-	-	-	-	-	-
Typhus fever, European	-	-	-	-	-	-	-
Undulant fever	-	-	-	-	-	-	-
Whooping cough	-	2	-	-	-	-	-
Yellow fever	-	-	-	-	-	-	-
Venereal diseases	37	108	19	140	42	24	5
Gonorrhea	4	70	10	52	6	8	3
Ophthalmia neonatorum	-	1	-	-	-	-	-
Syphilis	33	36	9	88	36	16	2
Other venereal diseases	-	2	-	-	-	-	-
Chancroid	-	-	-	-	-	-	-
Granuloma inguinale	-	2	-	-	-	-	-
Lymphogranuloma venereum	-	-	-	-	-	-	-

*Except venereal diseases which are by county of report

**Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

***Excludes 34 cases reported by armed forces

TABLE 5. -- COMMUNICABLE DISEASES -- Continued

Disease	Iredell	Jackson	Johnston	Jones	Lee	Lenoir	Lincoln
Amebiasis	-	-	-	-	1	-	-
Anthrax	-	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-
Encephalitis	2	-	1	-	-	-	-
Gastro-enteritis	2	-	10	-	11	17	-
Glanders	-	-	-	-	-	-	-
Infectious jaundice**	9	1	31	-	9	13	4
Leprosy	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-
Malaria***	-	-	-	-	-	-	-
Measles	7	12	2	-	2	-	-
Meningococcal infections	2	-	3	-	-	1	1
Paratyphoid fever	-	-	1	-	-	-	-
Plague	-	-	-	-	-	-	-
Poliomyelitis	-	-	-	1	-	-	-
Psittacosis	-	-	-	-	-	-	-
Q-Fever	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-
Rocky Mountain spotted fever	1	-	-	-	-	-	-
Scarlet fever	-	-	23	3	2	2	4
Septic sore throat	-	-	3	1	1	6	-
Smallpox	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-
Trachoma	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	-	-	-
Tuberculosis, all forms	8	4	20	2	10	33	1
Tularemia	-	-	-	-	-	-	-
Typhoid fever	-	-	-	-	-	-	-
Typhus fever, murine	-	-	-	-	-	1	-
Typhus fever, European	-	-	-	-	-	-	-
Undulant fever	-	-	-	-	-	-	-
Whooping cough	-	-	2	-	1	-	-
Yellow fever	-	-	-	-	-	-	-
Venereal diseases	86	23	85	8	86	96	20
Gonorrhea	15	15	43	5	62	56	6
Ophthalmia neonatorum	-	-	-	-	-	-	-
Syphilis	71	8	42	3	24	40	14
Other venereal diseases	-	-	-	-	-	-	-
Chancroid	-	-	-	-	-	-	-
Granuloma inguinale	-	-	-	-	-	-	-
Lymphogranuloma venereum	-	-	-	-	-	-	-

*Except venereal diseases which are by county of report

**Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

***Excludes 34 cases reported by armed forces

TABLE 5. -- COMMUNICABLE DISEASES -- Continued

Disease	McDowell	Macon	Madison	Martin	Mecklenburg	Mitchell	Montgomery
Amebiasis	-	-	-	-	1	1	-
Anthrax	-	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-
Encephalitis	-	-	-	-	-	-	-
Gastro-enteritis	-	-	-	3	11	-	-
Glanders	-	-	-	-	-	-	-
Infectious jaundice**	-	6	32	11	125	5	5
Leprosy	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-
Malaria***	-	-	-	-	-	-	-
Measles	-	-	-	3	67	9	-
Meningococcal infections	-	-	-	-	6	1	1
Paratyphoid fever	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-
Poliomyelitis	-	-	-	-	-	-	-
Psittacosis	-	-	-	-	1	-	-
Q-Fever	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-
Rocky Mountain spotted fever	-	-	-	-	8	-	-
Scarlet fever	-	8	2	1	53	10	4
Septic sore throat	-	-	-	-	1	-	-
Smallpox	-	-	-	-	-	-	-
Tetanus	-	-	-	-	1	-	-
Trachoma	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	-	-	-
Tuberculosis, all forms	4	3	4	22	71	5	4
Tularemia	-	-	-	-	1	-	-
Typhoid fever	-	-	-	-	2	-	-
Typhus fever, murine	-	-	-	-	-	-	-
Typhus fever, European	-	-	-	-	-	-	-
Undulant fever	-	-	-	-	-	-	-
Whooping cough	-	-	-	-	17	-	-
Yellow fever	-	-	-	-	-	-	-
Venereal diseases	24	-	10	26	1,669	10	30
Gonorrhea	17	-	7	13	1,315	7	17
Ophthalmia neonatorum	-	-	-	-	2	-	-
Syphilis	7	-	3	13	350	3	13
Other venereal diseases	-	-	-	-	4	-	-
Chancroid	-	-	-	-	3	-	-
Granuloma inguinale	-	-	-	-	-	-	-
Lymphogranuloma venereum	-	-	-	-	1	-	-

*Except venereal diseases which are by county of report

**Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

***Excludes 34 cases reported by armed forces

TABLE 5. -- COMMUNICABLE DISEASES -- Continued

Disease	Moore	Nash	New Hanover	North-ampton	Onslow	Orange	Pamlico
Amebiasis	-	-	-	-	1	-	-
Anthrax	-	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-
Diphtheria	-	1	-	-	-	-	-
Encephalitis	-	1	-	-	-	-	-
Gastro-enteritis	1	6	4	1	41	17	-
Glanders	-	-	-	-	-	-	-
Infectious jaundice**	5	25	6	5	17	26	-
Leprosy	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-
Malaria***	-	-	-	-	-	-	-
Measles	2	7	7	2	10	1	8
Meningococcal infections	-	-	4	1	5	-	-
Paratyphoid fever	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-
Poliomyelitis	-	-	1	-	-	-	-
Psittacosis	-	-	-	-	-	-	-
Q-Fever	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-
Rocky Mountain spotted fever	-	-	-	-	-	3	-
Scarlet fever	5	6	8	-	7	8	3
Septic sore throat	-	-	-	-	2	4	-
Smallpox	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-
Trachoma	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	-	-	-
Tuberculosis, all forms	16	42	18	21	18	17	6
Tularemia	-	-	-	-	-	-	-
Typhoid fever	-	-	-	-	-	-	-
Typhus fever, murine	-	-	-	-	-	-	-
Typhus fever, European	-	-	-	-	-	-	-
Undulant fever	-	-	-	-	-	-	-
Whooping cough	2	17	4	-	-	2	4
Yellow fever	-	-	-	-	-	-	-
Venereal diseases	74	128	346	18	341	66	11
Gonorrhea	33	79	242	12	272	45	-
Ophthalmia neonatorum	-	-	-	-	-	-	-
Syphilis	40	48	98	6	65	21	11
Other venereal diseases	1	1	6	-	4	-	-
Chancroid	-	1	6	-	3	-	-
Granuloma inguinale	-	-	-	-	-	-	-
Lymphogranuloma venereum	1	-	-	-	1	-	-

*Except venereal diseases which are by county of report

**Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

***Excludes 34 cases reported by armed forces

TABLE 5. -- COMMUNICABLE DISEASES -- Continued

Disease	Pasquotank	Pender	Perquimans	Person	Pitt	Polk	Randolph
Amebiasis	-	-	-	-	-	-	-
Anthrax	-	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	1	-	-
Encephalitis	-	-	-	-	-	-	2
Gastro-enteritis	1	1	3	1	26	-	1
Glanders	-	-	-	-	-	-	-
Infectious jaundice**	1	1	-	5	20	6	20
Leprosy	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-
Malaria***	-	-	-	-	-	-	-
Measles	-	-	-	-	194	-	4
Meningococcal infections	1	2	-	-	2	-	1
Paratyphoid fever	-	-	-	-	1	-	-
Plague	-	-	-	-	-	-	-
Poliomyelitis	-	1	-	-	-	-	-
Psittacosis	-	-	-	-	-	-	-
Q-Fever	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-
Rocky Mountain spotted fever	-	-	-	-	-	-	1
Scarlet fever	2	-	-	-	10	-	8
Septic sore throat	-	-	-	-	-	-	-
Smallpox	-	-	-	-	-	-	-
Tetanus	-	-	-	1	-	-	-
Trachoma	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	-	-	-
Tuberculosis, all forms	7	9	10	17	44	3	15
Tularemia	-	-	-	-	-	-	-
Typhoid fever	-	-	-	-	-	-	-
Typhus fever, murine	-	-	-	-	1	-	-
Typhus fever, European	-	-	-	-	-	-	-
Undulant fever	-	-	-	-	-	-	-
Whooping cough	4	1	-	1	1	-	2
Yellow fever	-	-	-	-	-	-	-
Venereal diseases	147	19	12	28	246	7	68
Gonorrhea	75	7	10	16	120	4	52
Ophthalmia neonatorum	-	-	-	-	-	-	-
Syphilis	72	12	2	12	126	3	16
Other venereal diseases	-	-	-	-	-	-	-
Chancroid	-	-	-	-	-	-	-
Granuloma inguinale	-	-	-	-	-	-	-
Lymphogranuloma venereum	-	-	-	-	-	-	-

*Except venereal diseases which are by county of report

**Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

***Excludes 34 cases reported by armed forces

TABLE 5. -- COMMUNICABLE DISEASES -- Continued

Disease	Richmond	Robeson	Rocking-ham	Rowan	Ruther-ford	Sampson	Scotland	Stanly
Amebiasis	-	-	-	-	-	-	-	-
Anthrax	-	-	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-
Encephalitis	-	2	1	-	1	1	-	-
Gastro-enteritis	-	3	-	1	-	2	-	2
Glanders	-	-	-	-	-	-	-	-
Infectious jaundice**	9	9	53	3	7	6	9	7
Leprosy	-	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-	-
Malaria***	-	-	-	-	-	-	-	-
Measles	1	39	9	6	-	-	1	16
Meningococcal infections	-	-	-	1	1	2	1	-
Paratyphoid fever	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Poliomyelitis	-	-	-	-	1	-	-	-
Psittacosis	-	-	-	-	-	-	-	-
Q-Fever	-	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-	-
Rocky Mountain spotted fever	-	2	2	-	1	-	-	1
Scarlet fever	14	6	9	10	3	6	-	13
Septic sore throat	-	21	1	1	-	-	-	-
Smallpox	-	-	-	-	-	-	-	-
Tetanus	-	2	-	-	-	-	-	-
Trachoma	-	-	-	-	-	-	-	-
Trichinosis	-	-	1	1	-	-	-	-
Tuberculosis, all forms	13	18	15	12	11	32	14	13
Tularemia	-	-	-	-	-	-	-	-
Typhoid fever	-	4	-	-	-	-	-	-
Typhus fever, murine	-	-	-	-	-	-	-	-
Typhus fever, European	-	-	-	-	-	-	-	-
Undulant fever	-	-	-	-	-	-	-	-
Whooping cough	-	1	1	3	5	-	-	-
Yellow fever	-	-	-	-	-	-	-	-
Venereal diseases	40	170	78	154	34	46	72	45
Gonorrhea	9	61	18	89	22	14	36	25
Ophthalmia neonatorum	-	-	-	-	-	-	-	-
Syphilis	31	108	60	65	12	30	35	20
Other venereal diseases	-	1	-	-	-	2	1	-
Chancroid	-	1	-	-	-	1	1	-
Granuloma inguinale	-	-	-	-	-	1	-	-
Lymphogranuloma venereum	-	-	-	-	-	-	-	-

*Except venereal diseases which are by county of report

**Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

***Excludes 34 cases reported by armed forces

TABLE 5. -- COMMUNICABLE DISEASES -- Continued

Diseases	Stokes	Surry	Swain	Transylvania	Tyrrell	Union	Vance	Wake
Amebiasis	-	-	-	-	-	-	2	-
Anthrax	-	-	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-
Encephalitis	-	-	-	1	-	-	-	3
Gastro-enteritis	1	32	-	2	-	-	2	40
Glanders	-	-	-	-	-	-	-	-
Infectious jaundice**	13	43	2	-	-	6	33	25
Leprosy	-	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-	-
Malaria***	-	-	-	-	-	-	-	-
Measles	-	-	13	-	-	-	-	37
Meningococcal infections	-	-	-	-	-	-	1	5
Paratyphoid fever	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Poliomyelitis	-	-	-	-	-	-	-	-
Psittacosis	-	-	-	-	-	-	-	1
Q-Fever	-	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-	-
Rocky Mountain spotted fever	-	-	-	-	-	-	-	-
Scarlet fever	1	6	-	8	-	3	1	92
Septic sore throat	-	-	-	-	-	1	-	390
Smallpox	-	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-
Trachoma	-	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	-	-	-	-
Tuberculosis, all forms	3	21	2	1	1	12	15	56
Tularemia	-	-	-	-	-	-	-	-
Typhoid fever	-	-	-	-	-	-	-	2
Typhus fever, murine	-	-	-	-	-	-	-	-
Typhus fever, European	-	-	-	-	-	-	-	-
Undulant fever	-	-	-	-	-	-	-	-
Whooping cough	1	3	-	-	-	-	-	13
Yellow fever	-	-	-	-	-	-	-	-
Venereal diseases	14	66	21	6	9	97	119	358
Gonorrhea	7	48	21	5	7	75	72	127
Ophthalmia neonatorum	-	-	-	-	-	1	-	-
Syphilis	7	18	-	1	1	18	47	229
Other venereal diseases	-	-	-	-	1	4	-	2
Chancroid	-	-	-	-	1	3	-	-
Granuloma inguinale	-	-	-	-	-	1	-	1
Lymphogranuloma venereum	-	-	-	-	-	-	-	1

*Except venereal diseases which are by county of report

**Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

***Excludes 34 cases reported by armed forces

TABLE 5. -- COMMUNICABLE DISEASES -- Continued

Disease	Warren	Washing-ton	Watauga	Wayne	Wilkes	Wilson	Yadkin	Yancey	Not Stated
Amebiasis	-	-	-	-	-	-	-	-	-
Anthrax	-	-	-	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-	-	-
Diphtheria	-	1	-	-	-	-	1	-	-
Encephalitis	-	-	-	-	-	5	-	-	-
Gastro-enteritis	5	1	1	13	1	2	-	-	-
Glanders	-	-	-	-	-	-	-	-	-
Infectious jaundice**	5	-	11	55	17	50	-	5	-
Leprosy	-	-	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-	-	-
Malaria***	-	-	-	-	-	-	-	-	-
Measles	17	-	2	3	1	2	5	-	-
Meningococcal infections	2	-	-	-	-	-	-	-	-
Paratyphoid fever	-	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-	-
Poliomyelitis	-	-	-	-	-	-	-	-	-
Psittacosis	-	-	-	-	-	-	-	-	-
Q-Fever	-	-	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-	-	-
Rocky Mountain spotted fever	2	-	-	-	-	-	1	-	-
Scarlet fever	1	-	4	1	-	10	5	1	-
Septic sore throat	65	-	-	8	-	-	-	6	-
Smallpox	-	-	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-
Trachoma	-	-	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	-	-	-	-	-
Tuberculosis, all forms	4	5	-	42	6	35	4	4	1
Tularemia	-	-	-	-	-	1	-	-	-
Typhoid fever	-	-	-	-	-	-	-	-	-
Typhus fever, murine	-	-	-	-	-	-	-	-	-
Typhus fever, European	-	-	-	-	-	-	-	-	-
Undulant fever	-	-	-	-	-	-	-	-	-
Whooping cough	1	-	1	-	-	1	-	-	-
Yellow fever	-	-	-	-	-	-	-	-	-
Venereal diseases	46	14	2	261	6	256	11	10	-
Gonorrhea	25	9	-	184	4	135	6	9	-
Ophthalmia neonatorum	-	-	-	-	-	-	-	-	-
Syphilis	21	5	2	76	2	118	5	1	-
Other venereal diseases	-	-	-	1	-	3	-	-	-
Chancroid	-	-	-	-	-	2	-	-	-
Granuloma inguinale	-	-	-	1	-	1	-	-	-
Lymphogranuloma venereum	-	-	-	-	-	-	-	-	-

*Except venereal diseases which are by county of report

**Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

***Excludes 34 cases reported by armed forces

TABLE 6. -- CASES OF REPORTABLE COMMUNICABLE DISEASES BY DISEASE AND MONTH OF ONSET*: NORTH CAROLINA, 1962

Disease	Total	January	February	March	April	May	June	July	August	September	October	November	December	Not Stated
Amebiasis	11	1	-	-	1	1	-	-	-	3	-	4	1	-
Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	11	3	-	-	-	-	-	2	3	2	-	-	1	-
Encephalitis	42	5	10	3	1	3	1	2	1	5	8	-	2	1
Gastro-enteritis	444	44	28	25	29	21	23	35	82	54	40	32	29	2
Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infectious jaundice**	1,783	236	156	238	174	203	85	98	115	127	109	120	121	1
Leprosy	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Leptospirosis	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Malaria	34	-	1	-	3	-	2	1	3	5	10	5	4	-
Measles	940	129	74	224	169	116	44	12	8	5	19	58	77	5
Meningococcal infections	72	6	15	10	7	6	3	3	5	4	3	3	7	-
Paratyphoid fever	4	-	1	-	1	2	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis	15	1	-	-	1	1	-	-	2	7	3	-	-	-
Psittacosis	3	1	1	-	-	-	-	1	-	-	-	-	-	-
Q-Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rocky Mountain spotted fever	35	-	-	-	1	7	11	10	6	-	-	-	-	-
Scarlet fever	804	124	91	98	71	39	16	17	16	65	89	92	86	-
Septic sore throat	570	58	71	62	56	34	10	18	5	18	33	103	101	1
Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	11	-	-	-	-	2	2	2	2	-	2	1	-	-
Trachoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trichinosis	2	-	-	-	-	-	-	-	-	2	-	-	-	-
Tuberculosis, all forms	1,423	111	93	111	125	140	166	114	127	111	123	104	98	-
Tularemia	5	-	-	-	-	1	1	1	-	-	-	-	2	-
Typhoid fever	13	-	1	1	1	-	-	3	-	1	4	1	1	-
Typhus fever, murine	2	-	-	-	1	-	-	-	-	-	1	-	-	-
Typhus fever, European	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Undulant fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	152	10	8	6	16	11	22	21	19	9	12	12	2	4
Yellow fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Venereal diseases	12,772	1,174	1,094	1,122	1,068	1,041	1,036	1,070	1,110	1,079	1,098	962	918	-
Gonorrhea	8,583	823	738	741	683	674	712	735	775	786	696	573	647	-
Ophthalmia neonatorum	5	-	1	-	2	-	-	1	-	-	-	1	-	-
Syphilis	4,109	337	346	372	379	363	320	329	333	282	395	386	267	-
Other venereal diseases	80	14	10	9	6	4	4	6	2	11	7	3	4	-
Chancroid	66	13	8	9	5	3	2	4	2	10	5	2	3	-
Granuloma inguinale	7	-	1	-	1	1	1	2	-	1	-	-	-	-
Lymphogranuloma venereum	7	1	1	-	-	-	1	-	-	-	2	1	1	-

*Except amebiasis, leprosy, tuberculosis and the venereal diseases which are by month of report

**Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

TABLE 7. -- CASES OF REPORTABLE COMMUNICABLE DISEASES BY DISEASE AND AGE: NORTH CAROLINA, 1962

Disease	All Ages	Age in Years: Under 1	1	2	3	4	5	6	7	8	9	10-14	15-19	20-24	25-29	30-34	35-44	45-54	55-64	65 and over	Not Stated
Amebiasis	11	-	-	-	-	-	-	1	-	-	-	1	-	-	1	2	1	3	2	-	-
Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	11	-	-	-	1	1	2	2	-	1	-	1	1	1	-	1	-	-	-	-	-
Encephalitis	42	3	3	2	1	2	1	5	5	1	2	7	3	2	1	-	-	3	-	1	-
Gastro-enteritis	444	73	34	24	23	19	12	17	13	11	10	24	35	26	20	20	22	22	22	17	-
Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infectious jaundice*	1,783	-	1	7	18	28	42	93	104	120	112	441	294	178	119	84	65	35	21	21	-
Leprosy	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Leptospirosis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Malaria	34	-	-	-	-	-	-	-	-	-	-	-	1	4	10	10	8	1	-	-	-
Measles	940	33	66	61	70	81	69	224	155	80	48	37	4	1	1	-	-	-	1	-	-
Meningococcal infections	72	17	7	6	1	6	2	5	3	2	1	11	-	6	-	-	1	1	1	2	-
Paratyphoid fever	4	-	-	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis	15	-	-	3	-	3	3	-	-	-	-	2	2	1	-	-	1	-	-	-	-
Psittacosis	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
Q-Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rocky Mountain spotted fever	35	-	-	1	4	7	1	2	2	1	-	4	1	1	2	-	3	4	2	-	-
Scarlet fever	804	8	23	46	60	76	85	125	101	72	52	132	15	2	-	3	2	-	-	-	2
Septic sore throat	570	2	13	14	17	22	35	60	47	44	35	98	39	29	26	26	42	12	5	2	2
Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	11	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	2	3	2	-	-
Trachoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trichinosis	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Tuberculosis, all forms	1,423	10	24	21	11	9	8	10	9	4	4	29	48	72	65	80	276	257	207	279	-
Tularemia	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	-
Typhoid fever	13	1	-	-	-	-	1	1	-	-	1	3	2	1	-	1	-	1	-	1	-
Typhus fever, murine	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Typhus fever, European	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Undulant fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	152	42	17	17	12	14	5	2	1	4	4	22	8	1	-	-	1	-	-	-	2
Yellow fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Venereal diseases	12,772	20	-	2	1	3	4	3	2	8	3	142	2,899	3,667	1,748	993	1,294	846	549	383	205
Gonorrhea	8,583	4	-	2	1	2	4	3	2	5	3	113	2,479	3,127	1,357	647	571	171	37	8	47
Ophthalmia neonatorum	5	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Syphilis	4,109	16	-	-	-	1	-	-	-	3	-	27	393	519	379	344	714	671	511	373	158
Other venereal diseases	80	-	-	-	-	-	-	-	-	-	-	2	27	21	12	2	9	4	1	2	-
Chancroid	66	-	-	-	-	-	-	-	-	-	-	1	23	16	11	1	7	4	1	2	-
Granuloma inguinale	7	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	1	-	-	-	-
Lymphogranuloma venereum	7	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	1	-	-	-	-

*Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

TABLE 8. -- CASES OF REPORTABLE COMMUNICABLE DISEASES BY DISEASE, COLOR, AND SEX WITH RATES PER 100,000 POPULATION: NORTH CAROLINA, 1962

Disease	All Classes						White						Nonwhite						Not Stated Sex and, or Color
	Total		Male		Female		Total		Male		Female		Total		Male		Female		
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	
Amebiasis	11	0.2	5	0.2	6	0.3	9	0.3	5	0.3	4	0.2	2	0.2	-	-	2	0.3	-
Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Botulism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dengue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	11	0.2	6	0.3	5	0.2	3	0.1	3	0.2	-	-	8	0.7	3	0.5	5	0.8	-
Encephalitis	42	0.9	18	0.8	24	1.0	29	0.8	13	0.8	16	0.9	13	1.1	5	0.9	8	1.3	-
Gastro-enteritis	444	9.5	258	11.2	186	7.9	293	8.4	166	9.6	127	7.2	151	12.9	92	16.1	59	9.8	-
Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infectious jaundice*	1,783	38.2	1,003	43.6	780	32.9	1,541	44.1	856	49.5	685	38.8	242	20.6	147	25.8	95	15.7	-
Leprosy	1	0.0	-	-	1	0.0	1	0.0	-	-	1	0.1	-	-	-	-	-	-	-
Leptospirosis	1	0.0	1	0.0	-	-	1	0.0	1	0.1	-	-	-	-	-	-	-	-	-
Malaria	34	0.7	34	1.5	-	-	33	0.9	33	1.9	-	-	1	0.1	1	0.2	-	-	-
Measles	940	20.1	458	19.9	482	20.4	675	19.3	338	19.6	337	19.1	253	21.5	112	19.6	141	23.3	12
Meningococcal infections	72	1.5	35	1.5	37	1.6	54	1.5	27	1.6	27	1.5	18	1.5	8	1.4	10	1.7	-
Paratyphoid fever	4	0.1	3	0.1	1	0.0	2	0.1	1	0.1	1	0.1	2	0.2	2	0.4	-	-	-
Plague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis	15	0.3	7	0.3	8	0.3	11	0.3	7	0.4	4	0.2	4	0.3	-	-	4	0.7	-
Psittacosis	3	0.1	1	0.0	2	0.1	3	0.1	1	0.1	2	0.1	-	-	-	-	-	-	-
Q-Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Rabies	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rocky Mountain spotted fever	35	0.7	19	0.8	16	0.7	29	0.8	16	0.9	13	0.7	6	0.5	3	0.5	3	0.5	-
Scarlet fever	804	17.2	365	15.9	439	18.5	735	21.0	341	19.7	394	22.3	67	5.7	23	4.0	44	7.3	2
Septic sore throat	570	12.2	287	12.5	283	11.9	525	15.0	264	15.3	261	14.8	43	3.7	21	3.7	22	3.6	2
Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	11	0.2	9	0.4	2	0.1	6	0.2	4	0.2	2	0.1	5	0.4	5	0.9	-	-	-
Trachoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trichinosis	2	0.0	1	0.0	1	0.0	1	0.0	1	0.1	-	-	1	0.1	-	-	1	0.2	-
Tuberculosis, all forms	1,423	30.5	920	40.0	503	21.2	697	20.0	483	27.9	214	12.1	726	61.8	437	76.6	289	47.8	-
Tularemia	5	0.1	3	0.1	2	0.1	4	0.1	3	0.2	1	0.1	1	0.1	-	-	1	0.2	-
Typhoid fever	13	0.3	6	0.3	7	0.3	5	0.1	3	0.2	2	0.1	8	0.7	3	0.5	5	0.8	-
Typhus fever, murine	2	0.0	1	0.0	1	0.0	1	0.0	1	0.1	-	-	1	0.1	-	-	1	0.2	-
Typhus fever, European	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Undulant fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	152	3.3	60	2.6	92	3.9	88	2.5	36	2.1	52	2.9	62	5.3	23	4.0	39	6.5	2
Yellow fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Venereal diseases	12,772	273.6	9,173	399.0	3,599	151.9	2,323	66.5	1,638	94.8	685	38.8	10,449	889.7	7,535	1,321.6	2,914	482.2	-
Gonorrhea	8,583	183.9	6,962	302.9	1,621	68.4	1,375	39.4	1,113	64.4	262	14.9	7,208	613.7	5,849	1,025.9	1,359	224.9	-
Ophthalmia neonatorum	5	0.1	2	0.1	3	0.1	1	0.0	-	-	1	0.1	4	0.3	2	0.4	2	0.3	-
Syphilis	4,109	88.0	2,147	93.4	1,962	82.8	936	26.8	513	29.7	423	24.0	3,173	270.2	1,634	286.6	1,539	254.7	-
Other venereal diseases	80	1.7	64	2.8	16	0.7	12	0.3	12	0.7	-	-	68	5.8	52	9.1	16	2.6	-
Chancroid	66	1.4	56	2.4	10	0.4	12	0.3	12	0.7	-	-	54	4.6	44	7.7	10	1.7	-
Granuloma inguinale	7	0.1	3	0.1	4	0.2	-	-	-	-	-	-	7	0.6	3	0.5	4	0.7	-
Lymphogranuloma venereum	7	0.1	5	0.2	2	0.1	-	-	-	-	-	-	7	0.6	5	0.9	2	0.3	-

*Excludes leptospirosis, includes infectious hepatitis and serum hepatitis

TABLE 9. -- CASES OF GASTRO-ENTERITIS BY COUNTY OF RESIDENCE, TYPE, AND COLOR: NORTH CAROLINA, 1962

Area	All Types				Salmonellosis				Shigellosis				Staphylococcus Food Poisoning				Other and Unspecified			
	Total	White	Non-white	Not Stated	Total	White	Non-white	Not Stated	Total	White	Non-white	Not Stated	Total	White	Non-white	Not Stated	Total	White	Non-white	Not Stated
North Carolina...	444	293	151	-	117	92	25	-	177	116	61	-	47	22	25	-	103	63	40	-
Alamance.....	6	2	4	-	1	-	1	-	4	2	2	-	-	-	-	-	1	-	1	-
Anson.....	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Ashe.....	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Beaufort.....	3	3	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Bertie.....	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-
Bladen.....	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Buncombe.....	9	9	-	-	6	6	-	-	2	2	-	-	-	-	-	-	1	1	-	-
Burke.....	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cabarrus.....	9	6	3	-	5	4	1	-	3	2	1	-	-	-	-	-	1	-	1	-
Catawba.....	2	2	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Chatham.....	2	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	1	-
Cherokee.....	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-
Chowan.....	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Cleveland.....	4	4	-	-	1	1	-	-	2	2	-	-	-	-	-	-	1	1	-	-
Columbus.....	3	2	1	-	2	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Craven.....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
Cumberland.....	4	2	2	-	-	-	-	-	2	2	-	-	-	-	-	-	2	-	2	-
Currituck.....	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Duplin.....	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Durham.....	21	4	17	-	3	-	3	-	18	4	14	-	-	-	-	-	-	-	-	-

Edgecombe.....	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Forsyth.....	19	18	1	-	-	-	-	-	15	15	-	-	-	-	-	-	4	3	1	-
Franklin.....	5	2	3	-	-	-	-	-	1	-	1	-	2	2	-	-	2	-	2	-
Gaston.....	10	8	2	-	2	2	-	-	8	6	2	-	-	-	-	-	-	-	-	-
Gates.....	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Granville.....	38	32	6	-	1	1	-	-	37	31	6	-	-	-	-	-	-	-	-	-
Greene.....	3	-	3	-	1	-	1	-	2	-	2	-	-	-	-	-	-	-	-	-
Guilford.....	11	8	3	-	7	7	-	-	3	1	2	-	-	-	-	-	1	-	1	-
Halifax.....	6	2	4	-	2	1	1	-	1	1	-	-	-	-	-	-	3	-	3	-
Harnett.....	5	1	4	-	1	-	1	-	1	-	1	-	-	-	-	-	3	1	2	-
Henderson.....	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Hertford.....	3	-	3	-	1	-	1	-	-	-	-	-	-	-	-	-	2	-	2	-
Iredell.....	2	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	1	-
Johnston.....	10	9	1	-	8	8	-	-	2	1	1	-	-	-	-	-	-	-	-	-
Lee.....	11	11	-	-	2	2	-	-	8	8	-	-	-	-	-	-	1	1	-	-
Lenoir.....	17	15	2	-	10	8	2	-	7	7	-	-	-	-	-	-	-	-	-	-
Martin.....	3	2	1	-	-	-	-	-	2	2	-	-	-	-	-	-	1	-	1	-
Mecklenburg.....	11	9	2	-	8	8	-	-	1	1	-	-	-	-	-	-	2	-	2	-
Moore.....	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Nash.....	6	-	6	-	1	-	1	-	3	-	3	-	-	-	-	-	2	-	2	-
New Hanover.....	4	3	1	-	3	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Northampton.....	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Onslow.....	41	37	4	-	1	-	1	-	3	1	2	-	1	1	-	-	36	35	1	-
Orange.....	17	7	10	-	3	2	1	-	12	4	8	-	-	-	-	-	2	1	1	-
Pasquotank.....	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-

TABLE 9. -- GASTRO-ENTERITIS -- Continued

Area	All Types				Salmonellosis				Shigellosis				Staphylococcus Food Poisoning				Other and Unspecified			
	Total	White	Non-white	Not Stated	Total	White	Non-white	Not Stated	Total	White	Non-white	Not Stated	Total	White	Non-white	Not Stated	Total	White	Non-white	Not Stated
Pender.....	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perquimans.....	3	-	3	-	-	-	-	-	3	-	3	-	-	-	-	-	-	-	-	-
Person.....	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pitt.....	26	18	8	-	10	5	5	-	3	1	2	-	12	12	-	-	1	-	1	-
Randolph.....	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Robeson.....	3	-	3	-	1	-	1	-	1	-	1	-	-	-	-	-	1	-	1	-
Rowan.....	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Sampson.....	2	2	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Stanly.....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
Stokes.....	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Surry.....	32	8	24	-	2	2	-	-	6	6	-	-	24	-	24	-	-	-	-	-
Transylvania.....	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-
Vance.....	2	-	2	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	1	-
Wake.....	40	31	9	-	23	20	3	-	9	4	5	-	8	7	1	-	-	-	-	-
Warren.....	5	-	5	-	1	-	1	-	4	-	4	-	-	-	-	-	-	-	-	-
Washington.....	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Watauga.....	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Wayne.....	13	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	13	12	1	-
Wilkes.....	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wilson.....	2	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-

TABLE 10. -- CASES OF PREVIOUSLY UNTREATED GONORRHEA BY COUNTY OF REPORT, TYPE, COLOR, AND SEX: NORTH CAROLINA, 1962

Area	Diagnosed Cases															Epidemiologic Treatment				
	All Sites			Genito-Urinary				Ophthalmia				Other								
				White		Nonwhite		White		Nonwhite		White		Nonwhite			White		Nonwhite	
	Total	White	Non-white	Male	Fem.	Male	Fem.	Male	Fem.	Male	Fem.	Male	Fem.	Male	Fem.	Total	Male	Fem.	Male	Fem.
North Carolina...	8,583	1,375	7,208	1,109	259	5,839	1,355	-	1	2	2	4	2	8	2	952	9	135	58	750
Alamance.....	170	12	158	10	2	155	2	-	-	-	-	-	-	-	1	44	-	1	1	42
Alexander.....	5	3	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alleghany.....	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anson.....	48	8	40	7	1	36	4	-	-	-	-	-	-	-	-	17	-	1	-	16
Avery.....	6	6	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Beaufort.....	27	-	27	-	-	14	13	-	-	-	-	-	-	-	-	-	-	-	-	-
Bertie.....	5	-	5	-	-	4	1	-	-	-	-	-	-	-	-	3	-	-	-	3
Bladen.....	43	3	40	2	1	38	2	-	-	-	-	-	-	-	-	1	-	-	-	1
Brunswick.....	11	1	10	1	-	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Buncombe.....	394	186	208	111	75	136	71	-	-	-	-	-	-	1	-	100	-	36	1	63
Burke.....	33	20	13	15	5	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cabarrus.....	39	3	36	1	2	33	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Caldwell.....	23	13	10	9	4	10	-	-	-	-	-	-	-	-	-	6	-	2	3	1
Camden.....	2	-	2	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	2
Carteret.....	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Caswell.....	11	-	11	-	-	8	3	-	-	-	-	-	-	-	-	4	-	-	-	4
Catawba.....	8	2	6	2	-	5	1	-	-	-	-	-	-	-	-	1	-	-	-	1
Chatham.....	5	2	3	1	1	2	1	-	-	-	-	-	-	-	-	1	-	1	-	1
Chowan.....	22	1	21	1	-	18	3	-	-	-	-	-	-	-	-	3	-	-	-	3
Cleveland.....	115	33	82	30	3	76	6	-	-	-	-	-	-	-	-	13	1	2	2	8
Columbus.....	10	1	9	1	-	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Craven.....	112	31	81	31	-	80	1	-	-	-	-	-	-	-	-	35	-	5	-	30
Cumberland.....	922	216	706	214	2	681	25	-	-	-	-	-	-	-	-	89	-	11	2	76
Currituck.....	10	-	10	-	-	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Dare.....	4	-	4	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 10. -- GONORRHEA -- Continued

Area	Diagnosed Cases															Epidemiologic Treatment				
	All Sites			Genito-Urinary				Ophthalmia				Other								
	Total	White	Non-white	White		Nonwhite		White		Nonwhite		White		Nonwhite		Total	White		Nonwhite	
				Male	Fem.	Male	Fem.	Male	Fem.	Male	Fem.	Male	Fem.	Male	Fem.		Male	Fem.	Male	Fem.
Davidson.....	46	13	33	13	-	31	2	-	-	-	-	-	-	-	-	11	-	4	-	7
Davie.....	3	-	3	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Duplin.....	9	1	8	-	1	6	2	-	-	-	-	-	-	-	-	1	-	-	-	1
Durham.....	1,516	80	1,436	58	22	977	459	-	-	-	-	-	-	-	-	-	-	-	-	-
Edgecombe.....	40	2	38	2	-	34	4	-	-	-	-	-	-	-	-	15	-	1	1	13
Forsyth.....	688	69	619	52	15	494	125	-	1	-	-	-	1	-	-	23	-	6	1	16
Franklin.....	16	-	16	-	-	11	5	-	-	-	-	-	-	-	-	2	-	-	-	2
Gaston.....	147	30	117	26	4	106	11	-	-	-	-	-	-	-	-	1	-	1	-	-
Gates.....	5	-	5	-	-	2	3	-	-	-	-	-	-	-	-	2	-	-	-	2
Graham.....	11	9	2	7	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Granville.....	30	1	29	1	-	28	1	-	-	-	-	-	-	-	-	3	-	1	-	2
Greene.....	8	-	8	-	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Guilford.....	331	51	280	44	7	257	23	-	-	-	-	-	-	-	-	51	-	10	4	37
Halifax.....	4	1	3	-	1	-	3	-	-	-	-	-	-	-	-	15	-	-	-	15
Harnett.....	70	3	67	2	1	56	10	-	-	-	1	-	-	-	-	8	-	-	-	8
Haywood.....	10	10	-	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Henderson.....	52	27	25	19	8	20	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Hertford.....	6	-	6	-	-	5	1	-	-	-	-	-	-	-	-	1	-	-	-	1
Hoke.....	8	-	8	-	-	5	3	-	-	-	-	-	-	-	-	1	-	-	-	1
Hyde.....	3	-	3	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Iredell.....	15	4	11	1	3	8	2	-	-	-	-	-	-	-	1	-	-	-	-	-
Jackson.....	15	3	12	2	1	5	7	-	-	-	-	-	-	-	-	-	-	-	-	-
Johnston.....	43	3	40	3	-	34	6	-	-	-	-	-	-	-	-	10	-	3	-	7
Jones.....	5	-	5	-	-	4	1	-	-	-	-	-	-	-	-	3	-	-	-	3
Lee.....	62	15	47	12	3	40	7	-	-	-	-	-	-	-	-	4	-	-	-	4
Lenoir.....	56	-	56	-	-	46	10	-	-	-	-	-	-	-	-	11	-	-	1	10
Lincoln.....	6	3	3	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
McDowell.....	17	13	4	7	6	3	1	-	-	-	-	-	-	-	-	3	-	2	-	1
Madison.....	7	7	-	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Martin.....	13	-	13	-	-	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-

Mecklenburg.....	1,315	122	1,193	100	22	924	267	-	-	1	1	-	-	-	-	143	3	11	11	118
Mitchell.....	7	7	-	5	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Montgomery.....	17	3	14	1	2	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Moore.....	33	9	24	9	-	22	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Nash.....	79	6	73	4	2	65	8	-	-	-	-	-	-	-	-	32	-	1	3	28
New Hanover.....	242	28	214	15	13	164	50	-	-	-	-	-	-	-	-	32	-	4	1	27
Northampton.....	12	-	12	-	-	11	1	-	-	-	-	-	-	-	-	3	-	-	-	3
Onslow.....	272	99	173	97	1	171	2	-	-	-	-	-	1	-	-	23	-	9	1	13
Orange.....	45	2	43	2	-	35	8	-	-	-	-	-	-	-	-	11	-	-	-	11
Pasquotank.....	75	3	72	3	-	65	7	-	-	-	-	-	-	-	-	42	-	-	1	41
Pender.....	7	-	7	-	-	7	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Perquimans.....	10	-	10	-	-	8	2	-	-	-	-	-	-	-	-	2	-	-	-	2
Person.....	16	6	10	2	4	7	3	-	-	-	-	-	-	-	-	3	-	1	-	2
Pitt.....	120	10	110	6	4	85	24	-	-	-	-	-	-	1	-	10	1	2	1	6
Polk.....	4	2	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Randolph.....	52	2	50	2	-	45	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Richmond.....	9	2	7	2	-	6	1	-	-	-	-	-	-	-	-	4	-	2	-	2
Robeson.....	61	9	52	9	-	51	1	-	-	-	-	-	-	-	-	13	-	-	-	13
Rockingham.....	18	6	12	3	2	7	5	-	-	-	-	1	-	-	-	-	-	-	-	-
Rowan.....	89	1	88	1	-	85	3	-	-	-	-	-	-	-	-	29	-	2	-	27
Rutherford.....	22	13	9	11	2	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Sampson.....	14	6	8	3	3	5	3	-	-	-	-	-	-	-	-	6	-	1	2	3
Scotland.....	36	5	31	5	-	30	1	-	-	-	-	-	-	-	-	1	-	1	-	-
Stanly.....	25	1	24	1	-	13	11	-	-	-	-	-	-	-	-	-	-	-	-	-
Stokes.....	7	2	5	2	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Surry.....	48	33	15	28	5	11	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Swain.....	21	5	16	1	4	4	12	-	-	-	-	-	-	-	-	-	-	-	-	-
Transylvania.....	5	4	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tyrrell.....	7	-	7	-	-	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Union.....	75	3	72	3	-	70	1	-	-	1	-	-	-	-	-	10	-	2	-	8
Vance.....	72	3	69	3	-	67	2	-	-	-	-	-	-	-	-	11	1	-	3	7
Wake	127	17	110	12	5	56	54	-	-	-	-	-	-	-	-	33	-	1	15	17
Warren.....	25	-	25	-	-	18	6	-	-	-	-	-	-	1	-	3	-	-	2	1
Washington.....	9	2	7	2	-	6	1	-	-	-	-	-	-	-	-	2	-	-	-	2
Wayne.....	184	58	126	51	7	119	7	-	-	-	-	-	-	-	-	25	1	6	1	17
Wilkes.....	4	1	3	1	-	2	1	-	-	-	-	-	-	-	-	1	1	-	-	-
Wilson.....	135	8	127	8	-	119	4	-	-	-	-	-	-	4	-	27	1	4	1	21
Yadkin.....	6	2	4	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yancey.....	9	9	-	5	1	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-

TABLE II. -- CASES OF INFECTIOUS JAUNDICE* BY COUNTY OF RESIDENCE, TYPE, AND COLOR: NORTH CAROLINA, 1962

Area	All Types			Infectious Hepatitis			Serum Hepatitis		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
North Carolina.....	1,783	1,541	242	1,765	1,524	241	18	17	1
Alamance.....	69	52	17	69	52	17	-	-	-
Alexander.....	2	1	1	2	1	1	-	-	-
Alleghany.....	2	2	-	2	2	-	-	-	-
Anson.....	58	36	22	58	36	22	-	-	-
Ashe.....	4	4	-	4	4	-	-	-	-
Avery.....	11	11	-	11	11	-	-	-	-
Beaufort.....	7	6	1	6	5	1	1	1	-
Bertie.....	20	19	1	20	19	1	-	-	-
Bladen.....	12	6	6	12	6	6	-	-	-
Brunswick.....	2	2	-	2	2	-	-	-	-
Buncombe.....	19	19	-	18	18	-	1	1	-
Burke.....	13	13	-	13	13	-	-	-	-
Cabarrus.....	45	37	8	45	37	8	-	-	-
Caldwell.....	35	33	2	35	33	2	-	-	-
Camden.....	2	1	1	2	1	1	-	-	-
Carteret.....	1	1	-	1	1	-	-	-	-
Caswell.....	2	1	1	2	1	1	-	-	-
Catawba.....	17	17	-	16	16	-	1	1	-
Cherokee.....	13	13	-	13	13	-	-	-	-
Chowan.....	1	-	1	1	-	1	-	-	-
Clay.....	9	9	-	9	9	-	-	-	-
Cleveland.....	43	37	6	43	37	6	-	-	-
Columbus.....	17	14	3	17	14	3	-	-	-
Craven.....	1	1	-	1	1	-	-	-	-
Cumberland.....	68	59	9	67	58	9	1	1	-
Dare.....	2	2	-	2	2	-	-	-	-
Davidson.....	79	69	10	78	68	10	1	1	-
Davie.....	26	24	2	26	24	2	-	-	-
Duplin.....	10	8	2	9	7	2	1	1	-
Durham.....	18	16	2	18	16	2	-	-	-
Edgecombe.....	43	37	6	43	37	6	-	-	-
Forsyth.....	77	75	2	75	73	2	2	2	-
Franklin.....	6	4	2	6	4	2	-	-	-
Gaston.....	54	50	4	54	50	4	-	-	-
Gates.....	6	1	5	6	1	5	-	-	-
Graham.....	8	8	-	8	8	-	-	-	-
Granville.....	20	16	4	20	16	4	-	-	-
Greene.....	8	3	5	8	3	5	-	-	-
Guilford.....	113	109	4	111	107	4	2	2	-
Halifax.....	3	1	2	3	1	2	-	-	-
Harnett.....	60	60	-	60	60	-	-	-	-
Haywood.....	4	4	-	4	4	-	-	-	-
Henderson.....	3	3	-	3	3	-	-	-	-
Hertford.....	5	4	1	5	4	1	-	-	-
Hoke.....	9	3	6	9	3	6	-	-	-

TABLE II. -- INFECTIOUS JAUNDICE* -- Continued

Area	All Types			Infectious Hepatitis			Serum Hepatitis		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Iredell	9	4	5	8	3	5	1	1	-
Jackson	1	1	-	1	1	-	-	-	-
Johnston	31	30	1	30	29	1	1	1	-
Lee	9	9	-	9	9	-	-	-	-
Lenoir	13	10	3	13	10	3	-	-	-
Lincoln	4	4	-	4	4	-	-	-	-
Macon	6	6	-	6	6	-	-	-	-
Madison	32	32	-	32	32	-	-	-	-
Martin	11	10	1	11	10	1	-	-	-
Mecklenburg	125	106	19	125	106	19	-	-	-
Mitchell	5	5	-	5	5	-	-	-	-
Montgomery	5	4	1	5	4	1	-	-	-
Moore	5	5	-	5	5	-	-	-	-
Nash	25	17	8	25	17	8	-	-	-
New Hanover	6	4	2	6	4	2	-	-	-
Northampton	5	4	1	5	4	1	-	-	-
Onslow	17	16	1	16	15	1	1	1	-
Orange	26	21	5	26	21	5	-	-	-
Pasquotank	1	-	1	1	-	1	-	-	-
Pender	1	1	-	1	1	-	-	-	-
Person	5	5	-	5	5	-	-	-	-
Pitt	20	14	6	20	14	6	-	-	-
Polk	6	6	-	6	6	-	-	-	-
Randolph	20	19	1	19	18	1	1	1	-
Richmond	9	7	2	9	7	2	-	-	-
Robeson	9	8	1	8	8	-	1	-	1
Rockingham	53	48	5	52	47	5	1	1	-
Rowan	3	2	1	3	2	1	-	-	-
Rutherford	7	7	-	7	7	-	-	-	-
Sampson	6	4	2	6	4	2	-	-	-
Scotland	9	4	5	8	3	5	1	1	-
Stanly	7	3	4	7	3	4	-	-	-
Stokes	13	13	-	13	13	-	-	-	-
Surry	43	43	-	43	43	-	-	-	-
Swain	2	2	-	2	2	-	-	-	-
Union	6	5	1	6	5	1	-	-	-
Vance	33	28	5	33	28	5	-	-	-
Wake	25	21	4	25	21	4	-	-	-
Warren	5	2	3	4	1	3	1	1	-
Watauga	11	11	-	11	11	-	-	-	-
Wayne	55	45	10	55	45	10	-	-	-
Wilkes	17	17	-	17	17	-	-	-	-
Wilson	50	42	8	50	42	8	-	-	-
Yancey	5	5	-	5	5	-	-	-	-

*Excludes leptospirosis

TABLE 12. -- CASES OF POLIOMYELITIS BY COUNTY OF RESIDENCE, COLOR, PARALYTIC STATUS, AND MONTH OF ONSET: NORTH CAROLINA, 1962

Area	Color				Paralytic Status			Month of Onset												
	Total	White	Non-white	Not Stated	Para-lytic	Non-para	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Not Stated
North Carolina..	15	11	4	-	13	2	-	1	-	-	1	1	-	-	2	7	3	-	-	-
Ashe.....	4	4	-	-	3	1	-	-	-	-	1	-	-	-	1	2	-	-	-	-
Brunswick.....	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Caldwell.....	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Chatham.....	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Cumberland.....	2	2	-	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Durham.....	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Guilford.....	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Jones.....	1	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
New Hanover.....	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Pender.....	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Rutherford.....	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-

TABLE 13. -- CASES OF PREVIOUSLY UNTREATED SYPHILIS BY COUNTY OF REPORT, STAGE, COLOR, AND SEX: NORTH CAROLINA, 1962

Area	Diagnosed Cases																			Epidemiologic Treatment	
	All Stages			Primary-Secondary				Early Latent				Other Acquired				Congenital					
	Total	White	Non-white	White		Nonwhite		White		Nonwhite		White		Nonwhite		White		Nonwhite		White	Non-white
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
North Carolina..	4,109	936	3,173	59	16	444	322	62	45	260	296	382	336	885	842	10	26	45	79	70	614
Alamance.....	63	22	41	-	-	8	2	1	1	-	3	13	7	15	11	-	-	1	1	3	11
Alexander.....	4	4	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-
Anson.....	16	-	16	-	-	1	-	-	-	5	-	-	-	6	3	-	-	-	1	-	-
Ashe.....	8	8	-	1	-	-	-	-	-	-	-	2	3	-	-	-	2	-	-	-	-
Avery.....	3	3	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-
Beaufort.....	75	19	56	-	-	-	3	-	1	3	3	10	8	22	22	-	-	1	2	-	1
Bertie.....	27	2	25	-	1	5	5	-	-	2	-	1	-	5	5	-	-	3	-	-	-
Bladen.....	25	-	25	-	-	3	2	-	-	1	3	-	-	13	2	-	-	-	1	-	1
Brunswick.....	15	2	13	-	-	1	1	-	-	-	1	-	2	6	3	-	-	1	-	-	-
Buncombe.....	79	48	31	2	-	1	1	2	1	3	3	20	21	9	13	2	-	-	1	-	1
Burke.....	20	9	11	-	-	-	-	-	-	2	2	5	4	5	1	-	-	1	-	-	-
Cabarrus.....	88	32	56	-	-	7	8	-	1	8	5	10	18	12	14	-	3	-	2	-	1
Caldwell.....	9	5	4	-	-	1	1	-	1	1	-	1	2	-	-	-	1	-	1	-	-
Camden.....	3	1	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
Carteret.....	16	4	12	-	-	-	-	-	-	1	-	1	3	3	8	-	-	-	-	-	1
Caswell.....	10	-	10	-	-	1	-	-	-	-	-	-	-	3	4	-	-	-	2	-	6
Catawba.....	22	15	7	-	-	-	-	2	-	1	-	7	6	1	5	-	-	-	-	-	-
Chatham.....	29	8	21	-	1	-	-	-	2	-	2	4	-	5	12	1	-	2	-	-	-
Chowan.....	21	2	19	-	-	2	1	-	-	2	3	1	1	6	1	-	-	-	4	-	2
Cleveland.....	29	1	28	-	-	6	10	-	-	4	2	-	1	4	1	-	-	1	-	1	7

TABLE 13. -- SYPHILIS -- Continued

Area	Diagnosed Cases																				Epidemiologic Treatment	
	All Stages			Primary-Secondary				Early Latent				Other Acquired				Congenital					
	Total	White	Non-white	White		Nonwhite		White		Nonwhite		White		Nonwhite		White		Nonwhite		White	Non-white
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
Columbus.....	19	1	18	-	-	2	4	-	-	1	1	-	1	6	3	-	-	1	-	-	1
Craven.....	50	5	45	2	-	5	7	-	-	5	9	2	1	11	7	-	-	1	-	-	4
Cumberland.....	204	37	167	11	-	49	25	6	3	25	30	12	4	21	13	-	1	1	3	2	5
Currituck.....	8	-	8	-	-	3	1	-	-	-	-	-	-	-	3	-	-	1	-	-	-
Dare.....	2	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Davidson.....	37	14	23	1	-	1	-	-	2	1	7	7	3	2	12	-	1	-	-	1	1
Davie.....	10	2	8	-	-	1	1	-	-	-	2	-	2	2	2	-	-	-	-	-	8
Duplin.....	26	5	21	-	1	3	4	1	-	1	1	1	2	6	6	-	-	-	-	-	2
Durham.....	137	13	124	-	1	10	3	-	1	6	9	9	2	54	35	-	-	2	5	2	31
Edgecombe.....	48	7	41	1	-	3	1	-	-	5	6	4	2	8	16	-	-	-	2	-	7
Forsyth.....	283	55	228	1	-	39	12	2	2	19	20	27	22	56	68	1	-	3	11	2	13
Franklin.....	32	4	28	-	-	1	-	-	-	3	2	2	2	16	6	-	-	-	-	-	3
Gaston.....	118	32	86	1	-	28	19	1	1	7	3	13	14	12	15	-	2	1	1	2	48
Gates.....	5	-	5	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-
Graham.....	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Granville.....	52	27	25	6	1	4	5	3	1	-	3	8	7	5	8	-	1	-	-	15	16
Greene.....	4	1	3	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-
Guilford.....	256	61	195	4	-	45	39	4	4	14	23	26	22	35	33	-	1	3	3	3	95
Halifax.....	33	5	28	-	-	3	4	-	1	4	3	2	1	5	6	-	1	1	2	-	3
Harnett.....	36	1	35	-	-	5	4	-	-	3	4	-	1	11	8	-	-	-	-	-	1

Haywood.....	9	7	2	-	-	-	-	-	1	-	-	2	3	1	1	-	1	-	-	-	-
Henderson.....	88	13	75	-	-	2	2	1	-	8	4	5	6	31	28	1	-	-	-	-	-
Hertford.....	36	4	32	-	-	7	7	-	1	2	7	3	-	5	4	-	-	-	-	1	7
Hoke.....	16	2	14	-	-	1	1	-	-	-	-	2	-	4	6	-	-	-	2	-	-
Hyde.....	2	-	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Iredell.....	71	34	37	-	-	4	3	2	4	5	6	7	20	7	10	-	1	2	-	-	20
Jackson.....	8	7	1	-	-	-	-	1	3	-	-	1	2	1	-	-	-	-	-	-	-
Johnston.....	42	17	25	-	-	1	-	5	-	-	5	6	6	8	10	-	-	1	-	1	1
Jones.....	3	1	2	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Lee.....	24	8	16	-	-	1	2	2	-	-	2	5	1	6	5	-	-	-	-	-	-
Lenoir.....	40	8	32	-	-	2	3	1	-	1	5	3	4	11	9	-	-	-	1	-	4
Lincoln.....	14	6	8	4	1	2	3	-	-	-	1	-	1	1	1	-	-	-	-	7	4
McDowell.....	7	4	3	-	-	-	-	-	-	1	-	3	1	2	-	-	-	-	-	-	-
Madison.....	3	3	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Martin.....	13	2	11	-	-	-	-	-	-	1	1	-	-	5	2	1	1	-	2	-	-
Mecklenburg.....	350	90	260	9	2	63	45	7	1	24	14	39	29	41	70	1	2	-	3	13	158
Mitchell.....	3	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
Montgomery.....	13	2	11	-	-	2	3	-	-	-	1	1	1	3	2	-	-	-	-	-	-
Moore.....	40	9	31	-	-	2	6	1	1	2	1	3	4	9	11	-	-	-	-	-	-
Nash.....	48	2	46	-	-	5	3	1	-	5	5	-	1	14	13	-	-	-	1	-	1
New Hanover.....	98	18	80	-	-	1	-	1	2	3	5	3	12	31	37	-	-	1	2	-	6
Northampton.....	6	-	6	-	-	2	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-
Onslow.....	65	22	43	6	1	13	3	8	1	7	2	4	2	11	6	-	-	1	-	4	11
Orange.....	21	2	19	-	-	-	4	-	-	1	1	1	1	5	5	-	-	2	1	-	3
Pamlico.....	11	-	11	-	-	2	-	-	-	-	1	-	-	6	2	-	-	-	-	-	-
Pasquotank.....	72	5	67	-	-	15	8	-	1	6	10	1	3	12	12	-	-	-	4	-	3
Pender.....	12	-	12	-	-	-	-	-	-	-	-	-	-	4	8	-	-	-	-	-	-
Perquimans.....	2	1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Person.....	12	2	10	-	-	-	-	-	-	1	-	1	-	3	5	-	1	-	1	-	-
Pitt.....	126	7	119	-	-	8	9	-	-	4	12	3	4	48	33	-	-	2	3	1	11

TABLE 13. -- SYPHILIS -- Continued

Area	Diagnosed Cases																			Epidemiologic Treatment	
	All Stages			Primary-Secondary				Early Latent				Other Acquired				Congenital					
	Total	White	Non-white	White		Nonwhite		White		Nonwhite		White		Nonwhite		White		Nonwhite		White	Non-white
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
Polk.....	3	-	3	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
Randolph.....	16	4	12	-	-	1	-	-	-	2	2	1	3	1	6	-	-	-	-	-	2
Richmond.....	31	16	15	-	-	1	-	1	-	1	2	5	10	6	4	-	-	-	1	-	-
Robeson.....	108	12	96	-	-	16	24	-	-	7	7	7	3	20	20	1	1	1	1	-	-
Rockingham.....	60	11	49	-	-	2	-	-	-	5	4	6	4	24	13	-	1	-	1	-	-
Rowan.....	65	28	37	-	-	1	-	2	3	1	1	14	8	16	17	1	-	1	-	-	7
Rutherford.....	12	7	5	-	-	-	-	-	-	1	-	5	2	2	1	-	-	1	-	-	-
Sampson.....	30	5	25	-	-	4	2	-	-	-	1	2	2	9	7	-	1	2	-	-	-
Scotland.....	35	4	31	1	-	3	2	-	-	3	1	1	2	11	10	-	-	1	-	-	-
Stanly.....	20	7	13	-	-	-	-	-	-	1	-	5	2	6	5	-	-	-	1	-	-
Stokes.....	7	2	5	-	-	-	-	-	-	1	-	1	1	2	2	-	-	-	-	-	-
Surry.....	18	8	10	-	-	1	-	1	1	2	-	3	2	4	3	-	1	-	-	-	-
Transylvania....	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tyrrell.....	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Union.....	18	5	13	1	2	2	1	1	1	-	-	-	-	3	5	-	-	-	2	-	4
Vance.....	47	11	36	3	3	2	-	1	-	4	5	3	1	11	13	-	-	-	1	7	14
Wake.....	229	48	181	2	1	17	11	1	1	14	25	26	16	52	52	-	1	3	7	2	43
Warren.....	21	-	21	-	-	-	-	-	-	3	-	-	-	11	7	-	-	-	-	-	1
Washington.....	5	-	5	-	-	-	-	-	-	-	1	-	-	1	2	-	-	1	-	-	1
Watauga.....	2	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Wayne.....	76	15	61	-	-	2	1	-	-	2	6	6	8	24	25	-	1	1	-	-	3
Wilkes.....	2	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Wilson.....	118	11	107	1	-	17	15	1	1	13	6	3	4	36	16	1	-	1	3	2	41
Yadkin.....	5	1	4	-	-	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Yancey.....	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 14. -- CASES OF PREVIOUSLY UNTREATED SYPHILIS BY STAGE, COLOR, AND SEX WITH RATES PER 100,000 POPULATION
NORTH CAROLINA, 1940, 1950, 1962

Year	Stage	All Classes						White						Nonwhite					
		Total		Male		Female		Total		Male		Female		Total		Male		Female	
		No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
1940	All Stages.....	21,225	594.3	9,528	537.4	11,697	650.3	2,756	107.3	1,454	113.4	1,302	101.3	18,469	1,839.6	8,074	1,643.6	10,395	2,027.3
	Primary-Secondary...	2,611	73.1	1,307	73.7	1,304	72.5	504	19.6	280	21.8	224	17.4	2,107	209.9	1,027	209.1	1,080	210.6
	Early Latent.....	9,436	264.2	3,766	212.4	5,670	315.2	986	38.4	467	36.4	519	40.4	8,450	841.6	3,299	671.6	5,151	1,004.6
	Other Acquired.....	8,143	228.0	4,009	226.1	4,134	229.8	1,104	43.0	632	49.3	472	36.7	7,039	701.1	3,377	687.5	3,662	714.2
	Congenital.....	1,035	29.0	446	25.2	589	32.7	162	6.3	75	5.9	87	6.8	873	87.0	371	75.5	502	97.9
1950	All Stages.....	5,146	126.7	2,258	111.9	2,888	141.2	498	16.7	252	16.9	246	16.5	4,648	430.8	2,006	380.5	2,642	479.0
	Primary-Secondary...	1,187	29.2	590	29.2	597	29.2	163	5.5	99	6.6	64	4.3	1,024	94.9	491	93.1	533	96.6
	Early Latent.....	2,457	60.5	922	45.7	1,535	75.1	168	5.6	68	4.6	100	6.7	2,289	212.2	854	162.0	1,435	260.2
	Other Acquired.....	1,170	28.8	595	29.5	575	28.1	139	4.7	74	5.0	65	4.4	1,031	95.6	521	98.8	510	92.5
	Congenital.....	332	8.2	151	7.5	181	8.9	28	0.9	11	0.7	17	1.1	304	28.2	140	26.6	164	29.7
1962	All Stages.....	4,109	88.0	2,147	93.4	1,962	82.8	936	26.8	513	29.7	423	24.0	3,173	270.2	1,634	286.6	1,539	254.7
	Primary-Secondary...	841	18.0	503	21.9	338	14.3	75	2.1	59	3.4	16	0.9	766	65.2	444	77.9	322	53.3
	Early Latent.....	663	14.2	322	14.0	341	14.4	107	3.1	62	3.6	45	2.6	556	47.3	260	45.6	296	49.0
	Other Acquired.....	2,445	52.4	1,267	55.1	1,178	49.7	718	20.6	382	22.1	336	19.0	1,727	147.0	885	155.2	842	139.3
	Congenital.....	160	3.4	55	2.4	105	4.4	36	1.0	10	0.6	26	1.5	124	10.6	45	7.9	79	13.1

TABLE 15. -- CASES OF PREVIOUSLY UNTREATED CONGENITAL
NORTH CAROLINA,

Year of Birth	Year of											
	1955-1962			1962			1961			1960		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
1962	16	-	16	16	-	16	-	-	-	-	-	-
1961	14	3	11	-	-	-	14	3	11	-	-	-
1960	10	2	8	-	-	-	1	-	1	9	2	7
1959	8	2	6	-	-	-	-	-	-	-	-	-
1958	5	2	3	-	-	-	-	-	-	-	-	-
1957	17	-	17	-	-	-	-	-	-	-	-	-
1956	10	3	7	-	-	-	-	-	-	-	-	-
1955	6	-	6	-	-	-	-	-	-	-	-	-
1954	7	1	6	2	1	1	-	-	-	-	-	-
1953	3	-	3	-	-	-	1	-	1	-	-	-
1952	1	-	1	-	-	-	-	-	-	-	-	-
1951	8	-	8	-	-	-	-	-	-	-	-	-
1950	5	-	5	-	-	-	-	-	-	-	-	-
1949	12	1	11	1	-	1	1	-	1	-	-	-
1948	23	1	22	3	-	3	2	-	2	2	-	2
1947	29	5	24	2	1	1	4	1	3	3	1	2
1946	45	2	43	7	-	7	8	-	8	2	-	2
1945	63	3	60	8	2	6	5	-	5	5	-	5
1944	96	3	93	15	-	15	6	-	6	9	-	9
1943	95	6	89	3	-	3	9	1	8	9	1	8
1942	88	7	81	2	-	2	7	2	5	5	1	4
1941	97	13	84	3	2	1	4	1	3	11	3	8
1940	129	12	117	9	1	8	9	3	6	11	1	10
1939	108	12	96	8	1	7	8	3	5	9	1	8
1938	113	19	94	9	5	4	4	2	2	9	-	9
1937	80	15	65	7	2	5	5	1	4	1	-	1
1936	69	13	56	8	2	6	5	3	2	2	-	2
1935	78	22	56	3	2	1	13	8	5	2	1	1
1934	40	1	39	3	-	3	3	-	3	1	-	1
1933	44	5	39	1	-	1	3	2	1	2	-	2
1932	28	8	20	4	1	3	1	1	-	1	-	1
1931	24	7	17	4	2	2	4	1	3	1	1	-
1930	30	8	22	3	-	3	2	1	1	1	-	1
1929	27	5	22	4	1	3	5	1	4	-	-	-
1928	15	4	11	1	-	1	3	3	-	1	-	1
1927	13	4	9	-	-	-	2	2	-	1	-	1
1926	15	7	8	4	2	2	3	2	1	1	1	-
1925	19	3	16	2	-	2	2	1	1	3	-	3
Prior to 1925	193	71	122	28	11	17	29	13	16	21	12	9
Total	1,683	270	1,413	160	36	124	163	55	108	122	25	97

SYPHILIS BY YEAR OF BIRTH, YEAR OF REPORT, AND COLOR:
1955-1962

Report

1959			1958			1957			1956			1955		
Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	2	6	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	5	2	3	-	-	-	-	-	-	-	-	-
1	-	1	2	-	2	14	-	14	-	-	-	-	-	-
1	-	1	-	-	-	1	-	1	8	3	5	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	6	-	6
-	-	-	-	-	-	2	-	2	2	-	2	1	-	1
1	-	1	-	-	-	-	-	-	-	-	-	1	-	1
-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
1	-	1	1	-	1	2	-	2	2	-	2	2	-	2
-	-	-	2	-	2	1	-	1	1	-	1	1	-	1
-	-	-	-	-	-	4	-	4	4	1	3	2	-	2
6	1	5	3	-	3	3	-	3	2	-	2	2	-	2
6	-	6	4	1	3	3	1	2	5	-	5	2	-	2
8	-	8	6	-	6	9	-	9	4	2	2	1	-	1
12	-	12	12	-	12	8	-	8	5	-	5	8	1	7
13	2	11	15	-	15	17	-	17	11	1	10	10	-	10
16	1	15	10	-	10	24	-	24	16	1	15	8	2	6
16	1	15	12	1	11	17	-	17	20	2	18	9	-	9
15	4	11	12	-	12	24	-	24	19	2	17	9	1	8
15	1	14	15	1	14	27	2	25	21	2	19	22	1	21
8	2	6	7	1	6	18	2	16	24	1	23	26	1	25
8	2	6	13	1	12	18	2	16	26	4	22	26	3	23
13	2	11	9	3	6	11	1	10	16	2	14	18	4	14
12	3	9	10	2	8	12	1	11	9	-	9	11	2	9
9	4	5	8	1	7	16	1	15	14	4	10	13	1	12
8	1	7	3	-	3	7	-	7	6	-	6	9	-	9
7	1	6	10	1	9	11	-	11	4	1	3	6	-	6
5	1	4	3	2	1	4	1	3	3	1	2	7	1	6
7	1	6	1	1	-	1	-	1	3	1	2	3	-	3
4	2	2	6	2	4	6	2	4	4	1	3	4	-	4
3	1	2	2	-	2	3	1	2	6	1	5	4	-	4
2	1	1	2	-	2	3	-	3	2	-	2	1	-	1
2	1	1	-	-	-	4	-	4	2	-	2	2	1	1
3	2	1	-	-	-	2	-	2	2	-	2	-	-	-
2	2	-	2	-	2	2	-	2	2	-	2	4	-	4
39	14	25	22	6	16	25	5	20	18	5	13	11	5	6
251	52	199	197	25	172	300	19	281	261	35	226	229	23	206

TABLE 16. -- CASES OF TUBERCULOSIS, ALL FORMS, BY COUNTY OF

Area	All Forms			Nonpulmonary			All Stages		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
North Carolina	1,423	697	726	84	36	48	1,339	661	678
Alamance	20	12	8	3	1	2	17	11	6
Alexander	5	5	-	-	-	-	5	5	-
Alleghany	3	3	-	1	1	-	2	2	-
Anson	7	3	4	-	-	-	7	3	4
Ashe	3	3	-	-	-	-	3	3	-
Avery	2	2	-	1	1	-	1	1	-
Beaufort	17	6	11	2	-	2	15	6	9
Bertie	20	9	11	-	-	-	20	9	11
Bladen	14	3	11	1	-	1	13	3	10
Brunswick	11	3	8	-	-	-	11	3	8
Buncombe	39	30	9	-	-	-	39	30	9
Burke	6	5	1	-	-	-	6	5	1
Cabarrus	5	4	1	1	1	-	4	3	1
Caldwell	13	8	5	-	-	-	13	8	5
Camden	1	-	1	-	-	-	1	-	1
Carteret	8	8	-	-	-	-	8	8	-
Caswell	1	1	-	-	-	-	1	1	-
Catawba	8	8	-	-	-	-	8	8	-
Chatham	7	3	4	1	-	1	6	3	3
Cherokee	9	9	-	-	-	-	9	9	-
Chowan	10	3	7	1	1	-	9	2	7
Clay	1	1	-	-	-	-	1	1	-
Cleveland	13	7	6	-	-	-	13	7	6
Columbus	12	5	7	-	-	-	12	5	7
Craven	21	13	8	-	-	-	21	13	8
Cumberland	50	24	26	4	2	2	46	22	24
Currituck	2	2	-	-	-	-	2	2	-
Dare	1	-	1	-	-	-	1	-	1
Davidson	11	7	4	2	1	1	9	6	3
Davie	4	2	2	-	-	-	4	2	2
Duplin	11	5	6	-	-	-	11	5	6
Durham	40	15	25	4	2	2	36	13	23
Edgecombe	34	9	25	2	-	2	32	9	23
Forsyth	40	13	27	1	-	1	39	13	26
Franklin	12	6	6	-	-	-	12	6	6
Gaston	31	15	16	3	2	1	28	13	15
Gates	5	4	1	-	-	-	5	4	1
Graham	2	1	1	1	-	1	1	1	-
Granville	9	2	7	1	-	1	8	2	6
Greene	9	1	8	-	-	-	9	1	8
Guilford	37	23	14	3	2	1	34	21	13
Halifax	33	13	20	2	1	1	31	12	19
Harnett	15	7	8	2	1	1	13	6	7
Haywood	6	4	2	-	-	-	6	4	2
Henderson	10	8	2	1	1	-	9	7	2
Hertford	13	3	10	1	-	1	12	3	9
Hoke	16	2	14	1	1	-	15	1	14
Hyde	3	2	1	-	-	-	3	2	1
Iredell	8	7	1	-	-	-	8	7	1
Jackson	4	4	-	-	-	-	4	4	-

RESIDENCE, TYPE, STAGE, ACTIVITY, AND COLOR: NORTH CAROLINA, 1962

Pulmonary													
Primary Active		Reinfection											
		Active						Inactive				Other	
		Minimal		Moderately Advanced		Far Advanced		Moderately Advanced		Far Advanced			
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
45	86	99	67	234	164	181	258	45	13	19	2	38	88
2	2	-	1	6	-	2	1	1	1	-	-	-	1
-	-	-	-	3	-	2	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	1	-
1	1	1	1	-	-	-	1	-	-	-	-	1	1
-	-	1	-	-	-	-	-	2	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	2	1	1	3	4	1	2	1	-	-	-	-	-
1	-	1	4	3	4	4	-	-	-	-	-	-	3
-	3	1	2	1	2	1	3	-	-	-	-	-	-
-	2	1	-	2	3	-	2	-	-	-	-	-	1
-	-	2	-	14	1	6	4	5	-	3	-	-	4
-	-	1	-	3	-	1	1	-	-	-	-	-	-
-	-	-	-	2	-	1	1	-	-	-	-	-	-
-	1	1	-	4	2	2	2	-	-	-	-	1	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	2	-	3	-	1	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	8	-	-	-	-	-	-	-	-	-
-	2	1	-	2	1	-	-	-	-	-	-	-	-
-	-	-	-	2	-	4	-	2	-	1	-	-	-
-	2	-	-	1	1	1	3	-	-	-	-	-	1
-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	2	3	-	1	1	1	2	-	-	1	-	1	1
1	2	-	2	1	1	2	1	-	-	1	-	-	1
5	1	-	1	3	1	4	4	-	-	-	-	1	1
4	2	3	1	8	10	5	8	-	-	2	-	-	3
-	-	-	-	1	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	1	-	3	2	2	-	-	-	-	-	-	1
-	-	1	-	1	1	-	1	-	-	-	-	-	-
1	-	1	2	1	-	2	3	-	-	-	-	-	1
-	-	2	2	7	8	2	8	1	-	-	-	1	5
1	-	1	1	4	5	1	13	-	1	-	-	2	3
1	5	3	3	5	5	3	10	1	-	-	-	-	3
1	2	-	-	3	1	1	1	1	-	-	1	-	1
1	9	3	1	5	2	3	3	-	-	-	-	1	-
-	-	-	-	3	-	1	-	-	1	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	1	4	1	1	-	-	-	-	-	1
-	3	-	-	-	2	-	2	-	-	-	-	1	1
2	1	4	-	4	2	6	10	1	-	1	-	3	-
1	2	1	2	7	8	2	4	-	1	-	-	1	2
1	-	-	1	4	2	1	4	-	-	-	-	-	-
1	1	-	-	-	1	2	-	-	-	1	-	-	-
-	-	1	1	2	-	2	1	1	-	1	-	-	-
-	-	-	1	1	4	2	2	-	-	-	-	-	2
-	2	1	2	-	5	-	4	-	-	-	-	-	1
-	-	-	-	-	-	1	1	1	-	-	-	-	-
-	-	2	-	2	-	2	1	-	-	1	-	-	-
-	-	-	-	1	-	2	-	1	-	-	-	-	-

TABLE 16 --

Area	All Forms			Nonpulmonary			All Stages		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Johnston	20	13	7	2	2	-	18	11	7
Jones	2	-	2	-	-	-	2	-	2
Lee	10	3	7	-	-	-	10	3	7
Lenoir	33	10	23	3	-	3	30	10	20
Lincoln	1	1	-	-	-	-	1	1	-
McDowell	4	4	-	-	-	-	4	4	-
Macon	3	3	-	1	1	-	2	2	-
Madison	4	4	-	1	1	-	3	3	-
Martin	22	8	14	1	-	1	21	8	13
Mecklenburg	71	36	35	6	4	2	65	32	33
Mitchell	5	5	-	-	-	-	5	5	-
Montgomery	4	-	4	1	-	1	3	-	3
Moore	16	6	10	-	-	-	16	6	10
Nash	42	20	22	2	-	2	40	20	20
New Hanover	18	9	9	2	1	1	16	8	8
Northampton	21	3	18	1	-	1	20	3	17
Onslow	18	10	8	2	1	1	16	9	7
Orange	17	8	9	3	1	2	14	7	7
Pamlico	6	4	2	-	-	-	6	4	2
Pasquotank	7	2	5	1	-	1	6	2	4
Pender	9	5	4	-	-	-	9	5	4
Perquimans	10	3	7	-	-	-	10	3	7
Person	17	9	8	-	-	-	17	9	8
Pitt	44	4	40	4	-	4	40	4	36
Polk	3	3	-	-	-	-	3	3	-
Randolph	15	15	-	-	-	-	15	15	-
Richmond	13	7	6	1	-	1	12	7	5
Robeson	18	8	10	1	1	-	17	7	10
Rockingham	15	11	4	2	2	-	13	9	4
Rowan	12	10	2	1	-	1	11	10	1
Rutherford	11	6	5	-	-	-	11	6	5
Sampson	32	13	19	2	1	1	30	12	18
Scotland	14	2	12	1	-	1	13	2	11
Stanly	13	9	4	1	1	-	12	8	4
Stokes	3	1	2	-	-	-	3	1	2
Surry	21	20	1	-	-	-	21	20	1
Swain	2	1	1	-	-	-	2	1	1
Transylvania	1	1	-	-	-	-	1	1	-
Tyrrell	1	-	1	-	-	-	1	-	1
Union	12	11	1	-	-	-	12	11	1
Vance	15	7	8	-	-	-	15	7	8
Wake	56	30	26	2	-	2	54	30	24
Warren	4	2	2	-	-	-	4	2	2
Washington	5	-	5	-	-	-	5	-	5
Wayne	42	15	27	1	-	1	41	15	26
Wilkes	6	6	-	2	2	-	4	4	-
Wilson	35	9	26	2	-	2	33	9	24
Yadkin	4	2	2	-	-	-	4	2	2
Yancey	4	4	-	-	-	-	4	4	-
Not stated	1	1	-	-	-	-	1	1	-

TUBERCULOSIS -- Continued

Pulmonary													
Primary Active		Reinfection											
		Active						Inactive				Other	
		Minimal		Moderately Advanced		Far Advanced		Moderately Advanced		Far Advanced			
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
-	-	1	-	4	1	5	6	-	-	-	-	1	-
-	-	-	-	-	1	-	1	-	-	-	-	-	-
-	3	-	1	-	2	1	1	1	-	1	-	-	-
1	-	2	1	3	4	3	13	1	-	-	-	-	2
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	1	-	2	-	1	-	-	-	-	-
-	-	1	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	2	-	1	-	-	-	-	-
-	-	-	-	5	4	2	3	1	1	-	-	-	5
1	3	5	2	12	5	6	15	6	3	1	-	1	5
-	-	2	-	1	-	2	-	-	-	-	-	-	-
-	1	-	1	-	-	-	1	-	-	-	-	-	-
-	1	-	1	2	1	3	6	1	-	-	-	-	1
-	-	5	2	6	3	4	13	1	-	-	-	4	2
-	2	1	1	3	2	2	3	-	-	1	-	1	-
-	2	1	1	-	6	2	7	-	-	-	-	-	1
1	1	-	1	5	1	3	3	-	-	-	1	-	-
-	1	2	-	1	2	1	2	2	1	-	-	1	1
1	-	-	1	1	1	2	-	-	-	-	-	-	-
-	-	-	-	1	1	-	2	1	1	-	-	-	-
2	-	1	-	-	1	1	2	-	-	-	-	1	1
-	-	2	-	-	-	-	5	-	2	-	-	1	-
3	3	2	1	1	-	1	3	1	-	-	-	1	1
-	-	-	5	2	8	2	12	-	1	-	-	-	10
-	-	-	-	1	-	2	-	-	-	-	-	-	-
2	-	3	-	2	-	4	-	3	-	1	-	-	-
-	-	2	1	2	2	2	-	-	-	1	-	-	2
2	-	-	-	2	3	2	5	-	-	-	-	1	2
-	-	1	1	2	2	3	-	1	-	2	-	-	1
-	-	1	-	2	-	5	1	1	-	-	-	1	-
-	2	1	-	1	1	4	2	-	-	-	-	-	-
1	4	1	2	4	4	5	6	-	-	-	-	1	2
1	2	-	2	-	1	1	6	-	-	-	-	-	-
-	1	2	-	3	3	1	-	1	-	-	-	1	-
-	-	1	1	-	-	-	1	-	-	-	-	-	-
-	-	2	-	9	1	5	-	-	-	-	-	4	-
-	-	-	-	1	-	-	1	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	5	-	4	-	2	1	-	-	-	-	-	-
-	1	-	2	3	2	3	2	-	-	-	-	1	1
2	5	4	3	11	6	10	7	2	-	-	-	1	3
-	-	1	2	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	3	-	-	-	-	-	2
2	6	5	1	3	8	4	10	-	-	-	-	1	1
1	-	-	-	2	-	1	-	-	-	-	-	-	-
-	1	2	3	4	4	2	9	-	-	-	-	1	7
-	-	-	1	-	-	2	1	-	-	-	-	-	-
-	-	2	-	2	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-